

January 1st, '96

Sixth Edition



NET PRICES CURRENT

....OF....

Laboratory Products....

AND



Physicians' Supplies

INDEX

PAGE

Alkaloidal Granules.....	2-17
Compound Granules.....	18-21
Compressed Tablets.....	22-29
Hypodermic Tablets.....	30
Hypodermic Syringe.....	31

SPECIALTIES:

Lithia Tablets, Menthol Compound, Seidlitz Salt, Suppositories, Buckley's Uterine Tonic, etc., etc.....	32-34
Dispensing Conveniences.....	35-36
Hand and Pocket Cases.....	37-40
About "Filled Cases".....	41
Alkaloidal Literature.....	42
Thermometers, etc.....	43
Ideal Elastic Bandages and Supporters	44
Ideal Elastic Stockings.....	45
Nuclein Solution (Standard).....	34

THERAPEUTIC NOTES

BY DR. ABBOTT

The Abbott Alkaloidal Co.

1416 East Ravenswood Park

Station X,

- - -

CHICAGO

OUR BUSINESS RULES.

OUR PRICES as given in this list are net, cash with order, except as noted below, and are the same to all. It is only by adhering strictly to this that we can sell at these figures.

CREDIT will only be given to parties well known to us and then only as an occasional courtesy. In this case the discounts as noted below may be applied provided the bill is paid in ten (not eleven or twelve) days of date of invoice. *Delivery will not be allowed.* Such bills are net 30 days and subject to sight draft without notice.

DELIVERY. When cash, *to the full amount of the bill*, accompanies the order we deliver all goods free of charge except as clearly stated in the list. Under all credit conditions delivery is at purchaser's expense.

REGISTRATION is an added security to mail packages. If you would like to avail yourself of this add 8 cents to your remittance for that purpose and say so.

C. O. D. ORDERS will be received from any who, being unacquainted with us, hesitate to comply with the above, provided the same amounts to \$5.00 or more and is accompanied by \$1.00. In this case purchaser pays charges both ways.

DISCOUNTS depend entirely on the size of orders; those to the value of \$10.00, accompanied by the full amount in cash may be discounted 5 per cent., while those amounting to \$25.00 or more, may be discounted 10 per cent. Druggists will find this a ready means of supplying local trade at a moderate profit.

REMITTANCES must be made in funds at par in New York or Chicago, bank drafts, postal notes, express or post office money orders, or currency. *We cannot pay exchange.* If it is more convenient for you to send a personal cheque add 2 per cent. (in no case less than 10 cents) to cover expense of collection. No exchange on Chicago cheques.

THE ABBOTT METHOD. Goods always good. Prices always right. One price to everybody. Send back anything found to be misrepresented and get the money paid for it.

OUR REFERENCES. The Bank of Commerce, E. W. Zander & Co., Bankers, Chicago, and our many pleased customers on every hand.

THE ABBOTT ALKALOIDAL CO.,

Station X, Chicago, Ill.

DOCTOR PLEASE READ THIS

We take pleasure in handing you our new **Therapeutic List**, the 6th edition of our general list. From it, if you are an old friend, you will note the steady growth of our business, demanding of us the many additions herein contained.

The Alkaloidal Granule is becoming more and more popular and is only kept from taking first place with the many, as it does with the rapidly increasing few, from the fact that its excellence and utility is not fully understood.

The drugs we use are of the very best European and American manufacture, and are bought direct in sealed packages, while our method of manufacture assures you the same in properly divided doses and of full strength.

To be satisfactory, a granule must meet and stand this test: 1. The drug must be reliable, standard, well known to the profession. 2. The division into granules must be accurate, the solubility rapid and perfect, and the keeping quality assured without gum or any other material that will harden with age and render the granule worthless.

3. To be easily used, it must be small, and those containing bitter, acrid principles should be sugar coated; then we have a granule with a fixed therapeutic activity, and no possible cumulation, from which the very best results may be required.

The Abbott granules are guaranteed to stand this test. In fact, they are simply drug, plus sugar, plus a means of union, plus a sugar coating. The natural color of the drug used is preserved except with aconitine which, for greater security and convenience in dispensing, is colored pink.

Prepared in this way, our granules are of such purity that they are even suitable for hypodermic use.

A word about our sugar coating may not be amiss, as many have stumbled at this point. It is of a style distinctively our own, being particularly adapted to the granule work, and is entirely different from ordinary sugar coating. It dissolves quickly and perfectly; its use is to protect the drug and conceal taste, and it in no way interferes with or retards therapeutic activity.

In the following "therapeutic list," prepared by Dr. Abbott, it is aimed to give simple, helpful suggestions to aid in the more general use of the active principles and not, by any means, to cover the ground of their therapeutic application.

In response to a continual demand from those who are accustomed to larger (looking) doses, we have introduced the Alkaloidal-Tablet feature of our list. It is a duplicate, in drug, dosage and price, of our granule list and, therefore, is not printed. See note page 22. All we can say for them is that they are as good as can be made and if you want the active principles in tablet form we have them for you.

If you are not familiar with our goods, send us a trial order; if you are, we hope to retain your favor.

Trusting that all our relations have been and will continue to be mutually satisfactory, we remain

faithfully yours,

THE ABBOTT ALKALOIDAL CO.

NOTE.

TERMS. See "Business Rules" on second page of cover.

NUMBERS. We have numbered our list for the convenience of our friends; (1) to facilitate ordering and reference to certain drugs; (2) so that by making a note of these numbers in connection with your case records you may easily recall just what you have given.

DRUGS USED. The chemicals used in our goods are the very best that money can buy. Our alkaloids and fine chemicals are imported from the laboratories of Germany, and our concentrations etc. are supplied by the best American chemists. Quality influences our selection in every instance.

PRIVATE FORMULÆ. We are prepared to manufacture private formulæ of the Alkaloidal or Galenical drugs and respectfully solicit your orders for granules, tablets, pills or fluid preparations of any kind, assuring you of the same quality of drug, as well as the same care in manufacture, that we use in our own preparations.

The Abbott Alkaloidal Co.

	100	500	1000
1 ACETANILID, gr. 1-6, gm. .01.....	\$.10	\$.35	\$.65
From the coal-tar series: reduces fever and relieves pain; 1 to 6 every 15 m. until effect. Where larger doses are required the 1 or 2 ½ grain tablets should be used. See under "tablets."			
2 ACID ARSENIOS, gr. 1-67, gm. .001.....	.10	.35	.65
Commonly called "arsenic"; dry skin diseases and conditions requiring alteratives; 2 every two to four hours.			
3 ACID BENZOIC, gr. 1-67, gm. .001.....	.10	.35	.65
English acid, true; catarrh of the urinary tract; 2 to 4 every three or four hours—larger doses admissible.			
4 ACID CARBOLIC, gr. 1-12, gm. .005.....	.10	.35	.65
Useful as an intestinal antiseptic; 1 to 3 every two to four hours.			
5 ACID PHOSPHORIC, gr. 1-6, gm. .01.....	.12	.50	.90
True orthophosphoric acid; a vital excitant 1 or 2 every 15 m. with strychnine in collapse—three or four times a day in chronic conditions.			
6 ACID SALICYLIC, gr. 1-6, gm. .01.....	.12	.50	.90
True—from oil of wintergreen; antiferment, antirheumatic; according to conditions until effect.			
7 ACID TANNIC, gr. 1-6, gm. .01.....	.10	.35	.65
The true gallo-tannic acid of the U. S. P.; better given in definite quantity than combined; 1, 2 or 3 every 30 m. until effect, then two or three times daily.			

YOU SEND CASH WITH ORDER

	100	500	1000
--	-----	-----	------

- 8 ACONITINE** Amor. Alk., gr. 1-134, gm. .0005 .12 .50 .90
From aconitum napellus—combined alkaloids; all febrile conditions and excitability of the heart; 1 every 15 to 30 m. until fever falls, then as needed; must be swallowed quickly or given well diluted to prevent local action; should be given less frequently if tingling of lips and extremities comes on. For children dissolve 1 granule for each year of the child's age, and 1 extra, in 24 teaspoonfuls of water. Give as above.
- 9 ACONITINE**, Amor. Alk., gr. 1-500, gm. .000125 .10 .35 .65
Same as above; dose suitable for children of 5 to 10 years.
- 10 ACONITINE**, Cryst. Alk., gr. 1-500, gm. .000125 .12 .50 .90
Single principle, from same source; same indications but less mild in action; four or five times as strong as the amorphous.
- 11 AESCULIN**, Glu., gr. 1-67, gm. .001..... .20 .75 1.40
Horse chestnut; a bitter tonic; promotes circulation and relieves capillary stasis, therefore indicated in hemorrhoids; 3 to 5 every two hours until effect.
- 12 AGARICIN**, Glu., gr. 1-67, gm. .001..... .12 .50 .90
- 13 AGARICIN**, Glu. gr. 1-12, gm. .005..... .20 .75 1.40
Active principle of white agaric; purgative in large doses, grs. 3 to 5; in small doses, gr. 1-67 to 1-12, it is our best agent to arrest perspiration, give three to six hours before expected sweat.
- 14 ALETRIN**, Con., gr. 1-6, gm. .0112 .50 .90
Aletris farinosa; tonic regulator to reproductive organs; stomachic tonic; 1 to 3, three to six times daily.
- 15 ALNUIN**, Con., gr. 1-12, gm. .00512 .50 .90
From bark of American alder; tonic; increases waste, particularly in the skin; indicated in eczema and other skin diseases. Suggested by Waugh to clear the complexion of women that are sallow; should not be used during menstruation; 1 to 6 two or three times daily.
- 16 ALOIN**, Res., gr. 1-12 gm. .005..... .10 .35 .65
- 17 ALOIN**, Res., gr. 1-6, gm. .0112 .50 .90
From socrotine aloes; increases peristalsis, particularly of the colon and rectum; congests the pelvic viscera, therefore useful in amenorrhea; gr. 1-12 to 1-6 before meals.
- 18 AMMONIUM BENZOATE**, gr. 1-6, gm. .01... .12 .50 .90
Tonic, antiseptic and expectorant; bronchorrhea in retention of expectoration, chronic bronchitis; 1 to 3 every one or two hrs.
- 19 AMMONIUM SALICYLATE**, gr. 1-6, gm. .01 .12 .50 .90
Indications and dose similar to above.
- 20 ANEMONIN**, True, gr. 1-134, gm. .0005..... .30 1.25 2.25
A camphor from pulsatilla; has special reference to the generative function, increasing power, relaxing spasm and, when used near the menstrual period, producing an increased flow; 1 every half hour in acute and every two to four hours in chronic conditions.
- 21 ANTIMONY ARSENIATE**, gr. 1-67, gm. .001 .12 .50 .90
A valuable tonic expectorant; 1 every one or two hours.

WE WILL PREPAY DELIVERY

	100	500	1000
22 APIOL, True, gr. 1-67, gm. .001.....	\$.12	\$.50	\$.90
Parsley camphor; congests the pelvic viscera; stimulates secretion of all mucous membranes; 1 every half to two hours.			
23 APOCYNIN, Res., gr. 1-12, gm. .005.....	.15	.65	1.10
From Canadian hemp; tonic, emeto-cathartic and, in large dilution, diuretic—its chief indication; 1 to 3 every two hours.			
24 APOMORPHINE, gr. 1-67, gm. .001.....	.12	.50	.90
Action of hydrochloric acid on morphine in vacuo; expectorant in small and emetic in large doses; 1 or 2 every half to one hour as expectorant, as an emetic gr. 1-10 hypodermically—tablet preferred.			
25 ARBUTIN, Glu., gr. 1-67, gm. .001.....	.12	.50	.90
From uva ursi; tonic to mucous membranes and diuretic; 1 or 2 every thirty minutes until effect.			
26 ARSENIC BROMIDE, gr. 1-67, gm. .001.....	.12	.50	.90
Recognized remedy for epilepsy and kindred conditions; 1 to 4 three or four times daily.			
27 ARSENIC IODIDE, gr. 1-67, gm. .001.....	.12	.50	.90
Alterative in scrofula, syphilis and cheesy conditions of the glands or lungs; 1 three or four times a day.			
28 ARSENIC SULPHIDE, gr. 1-67, gm. .001.....	.10	.35	.65
General antiseptic and alterative in skin diseases; 1 or 2 three or four times a day.			
29 ASCLEPIDIN, Con., gr. 1-12, gm. .005.....	.12	.50	.90
Pleurisy root; stimulates mucous membranes, 1 or 2 every two hours or three times a day in chronic cases.			
30 ASPARAGIN, Glu., gr. 1-67, gm. .001.....	.10	.35	.65
From asparagus; tonic stimulant to the mucous membranes; markedly diuretic; soothes the entire urinary tract; 2 to 4 every half to one or two hours.			
31 ASPIDOSPERMINE, Alk., gr. 1-67, gm. .001.....	.30	1.25	2.25
From quebracho; dyspnea of all kinds, whether bronchial, cardiac or nervous; 2 to 4 every fifteen minutes until relief.			
32 ATROPINE SULPH., Alk., gr. 1-500, gm. .000125	.10	.35	.65
33 " " " gr. 1-250, gm. .00025	.10	.35	.65
From belladonna. Use and indication well known; gr. 1-1000 every ten minutes in congestive headache, combined with aconitine in same dose; gr. 1-250 every half to one hour for physiological effect.			
34 ATROPINE VAL., Alk., gr. 1-250, gm. .00025	.12	.50	.90
Similar to above, more sedative.			
35 AVENIN, Con., gr. 1-6, gm. .01.....	.30	1.25	2.25
From oats; a general stimulant and tonic; dose not accurately determined; 1 three to six times a day suggested.			
36 AVENINE, Alk., gr. 1-67, gm. .001.....	.30	1.25	2.25
Same source, indication, and, approximately, same dosage.			

YOU SEND CASH WITH ORDER

100 500 1000

37 BAPTISIN , Res., gr. 1-12, gm. .005.....	\$.12	\$.50	\$.90
From wild indigo; cholagogue; laxative in small and cathartic in large doses; stimulates the heart, improving capillary circulation; as a tonic 1 or 2 every two to four hours.			
38 BARIUM CHLORIDE , gr. 1-6, gm. .01.....	.10	.35	.65
Somewhat similar to digitalin in action upon heart; alterative to skin and general lymphatic system, useful in varicose veins; 1 to 6 three times daily.			
39 BAROSMIN , Res., gr. 1-6, gm. .0112	.50	.90
From buchu; diuretic and tonic stimulant to urinary tract; 3 to 6 three or four times a day.			
40 BERBERINE (Alk.,) MUR. , gr. 1-67; gm. .001	.12	.50	.90
41 " " " gr. 1-6, gm. .01....	.40	1.75	3.25
From hydrastis; tonic laxative; improves secretion of mucosa; gr. 1-67 to 1-6 with meals.			
42 BISMUTH SUBNITRATE , gr. 1-6, gm. .01...	.10	.35	.65
Antiseptic and astringent; dose and indications well known.			
43 BRUCINE , Alk., gr. 1-134, gm. .0005.....	.12	.50	.90
Companion alkaloid with strychnine in nux vomica; much milder but similar in action; should be used with children; 1 every two to four hours for child of 12; younger children in proportion.			
44 BRYONIN , Glu., gr. 1-67, gm. .001.....	.15	.65	1.10
From bryonia alba; chronic rheumatism; synovitis and pleurisy; stimulates absorption; 1 or 2 every two hours.			
45 CACTIN , Glu., gr. 1-134, gm. .0005.....	.20	.75	1.40
Cactus grandiflora; see "Cardiac Tonic."			
46 CAFFEINE , Alk., gr. 1-67, gm. .00110	.35	.65
47 " " gr. 1-6, gm. .0115	.65	1.10
An alkaloid found in coffee, tea, kola, guarana and a variety of similar plants; for nerve prostration, feeble circulation, brain lag, etc.; use sufficient to produce the desired effect.			
48 CAFFEINE ARSENIATE , gr. 1-67, gm. .001	.10	.35	.65
One of the best preparations, the pure alkaloid being but sparingly soluble.			
49 CAFFEINE BENZOATE , gr. 1-67, gm. .001...	.10	.35	.65
50 " " gr. 1-6, gm. .0120	.75	1.40
A desirable salt; less often used; stimulant and antiseptic.			
51 CAFFEINE CITRATE , gr. 1-6, gm. .01.....	.10	.35	.65
Not a true salt, though the preparation generally used. Requires a larger dose than the others.			
52 CAFFEINE VALERIANATE , gr. 1-67, gm. .001	.10	.35	.65
Combines the properties of valerianic acid and caffeine.			
53 CALCIUM HYPOPHOS. , gr. 1-6, gm. .01.....	.10	.35	.65
A reconstructive with particular reference to bony tissue; 1 to 3 three times a day.			

WE WILL PREPAY DELIVERY

		100	500	1000
54 CALCIUM LACTOPHOS. , gr. 1-6, gm. .01....	\$.12	\$.50	\$.90	
True salt. Repairs waste; indicated in all conditions of general debility with tendency to phthisis, scrofula, etc; 1 to 3 three to six times daily.				
55 CALCIUM SULPHIDE , gr. 1-6, gm. .01.....	.10	.35	.65	
Our best systematic antiseptic; 1 to 6 every half hour until effect in acute cases—diphtheria, croup, etc.; three times a day in chronic cases.				
56 CALOMEL , gr. 1-6, 1-12 & 1-67.....	.10	.35	.65	
Source, indication and use well known; small doses frequently repeated give best therapeutic results.				
57 CAMPHOR MONO-BROM. , gr. 1-6, gm. .01	.12	.50	.90	
General sedative and antispasmodic; 1 to 3 three or four times daily.				
58 CANNABIN , Res., gr. 1-67, gm. .001.....	.12	.50	.90	
From cannabis indica; antispasmodic and sedative; 3 to 6 every two hours; may require larger doses.				
59 CANNABINE TANNATE , gr. 1-67, gm. .001....	.15	.65	1.10	
60 " " " gr. 1-6, gm. .01	.60	2.75	5.75	
From the alkaloid. Indications and dose similar to the above.				
61 CAPSICIN , Res., gr. 1-134, gm. .0005.....	.12	.50	.90	
Active principle of red pepper; tonic stimulant by irritation; 1 as indicated.				
62 CARDIAC TONIC , (Cactin,) gr. 1-134, gm. .0005	.20	.75	1.40	
Active principle of cactus grandiflora; especial attention is called to this granule, it being an invaluable "heart tonic" with a wide range of usefulness.				
63 CARMINE ,	.10	.35	.65	
No medicinal action; used to give a distinctive color to solutions.				
64 CAULOPHYLLIN , Con., gr. 1-6, gm. .01.....	.15	.65	1.10	
Blue cohosh; special reference to the generative organs; improves circulation; relieves spasm and congestion; 1 three to six times daily. In "rigid os" 1 every half hour until effect is nearly specific.				
65 CERIUM OXALATE , gr. 1-6, gm. .01.....	.10	.35	.65	
Specific in some forms of nausea; promotes mucous secretions; 1 every five to ten minutes until relief; in larger doses three or four times daily.				
66 CHIMAPHYLLIN , Con., gr. 1-6, gm. .01.....	.12	.50	.90	
From pipsissewa; a stimulant and alterative to the urinary tract and all glands connected therewith; increases necessary waste; 1 to 6 three or four times daily.				
67 CICUTINE , Alk., gr. 1-134, gm. .0005.....	.12	.50	.90	
From spotted hemlock; often called coniine; spinal sedative and antispasmodic, particularly useful in some forms of dysmenorrhea; one every half hour until effect, then less frequently.				
68 CICUTINE HYDROBROM ., gr. 1-67, gm. .001	.15	.65	1.10	
Same source and indications as above, but a better preparation.				

YOU SEND CASH WITH ORDER

			100	500	1000
69	COCAINE HYDROCH.,	gr. 1-134, gm. .0005	\$.12	\$.50	\$.90
70	"	gr. 1-67, gm. .001....	.15	.65	1.10
71	"	gr. 1-12, gm. .005....	.45	2.00	3.50

Salt of the true alkaloid from coca leaves; small doses stimulate; large doses sedate and anaesthetize; use as indicated.

72	CODEINE (Alk.) SULPH.,	gr. 1-67, gm. .001	.10	.35	.65
73	"	gr. 1-6, gm. .01...	.30	1.40	2.60

One of the numerous principles in opium; mildly anodyne and hypnotic; non-constipating; about one-fourth morphine strength; same indications; free from habit forming; should be more generally used than now is; particularly useful in coughs.

74	COLCHICINE, Alk.,	gr. 1-134, gm. .0005....	.15	.65	1.10
----	-------------------	--------------------------	-----	-----	------

From colchicum; antirheumatic; antilithic; a good cholagogue; promotes glandular secretions; emeto-cathartic in large doses; specific in gout; helpful in all forms of rheumatism; 1 every two hours until effect (nausea or diarrhea, or both) then less frequently; combine with veratrine or the "Defervescent Compound" in the fever period.

75	COLLINSONIN, Con.,	gr. 1-6, gm. .01.....	.15	.65	1.10
----	--------------------	-----------------------	-----	-----	------

From stone root; diuretic and general tonic; alterative to urinary tract as well as the mucosa in general; 1 three or four times a day.

76	COLOCYNTHIN, Glu.,	gr. 1-134, gm. .0005...	.15	.65	1.10
----	--------------------	-------------------------	-----	-----	------

From colocynth; in minute doses, gr. 1-1000, said to relieve abdominal pains and in large doses, gr. 1-67 to 1-6, it is cathartic.

77	CONVALLAMARIN, Glu.,	gr. 1-134, gm. .0005	.15	.65	1.10
----	----------------------	----------------------	-----	-----	------

From lily of the valley; an excellent cardiac stimulant; 2 to 4 every three or four hours; larger doses admissible.

78	COPPER ARSENITE,	gr. 1-1000, gm. .0000625	.10	.35	.65
----	------------------	--------------------------	-----	-----	-----

79	"	gr. 1-250, gm. .00025...	.10	.35	.65
----	---	--------------------------	-----	-----	-----

Particularly useful in non-inflammatory diarrheas; requires very small and frequently repeated doses.

80	CORNIN, Con.,	gr. 1-6, gm. .01.....	.10	.35	.65
----	---------------	-----------------------	-----	-----	-----

From dogwood; said to be tonic, febrifuge and antimalarial; stimulates erectal tissue; 1 to 6 three or four times a day.

81	CORYDALIN, Con.,	gr. 1-6, gm. .01.....	.12	.50	.90
----	------------------	-----------------------	-----	-----	-----

From turkey corn; general alterative; 1 to 6 three or four times a day.

82	COTONIN, Glu.,	gr. 1-67, gm. .001.....	.40	1.75	3.25
----	----------------	-------------------------	-----	------	------

From coto bark; small doses tonic, larger doses powerfully astringent to alimentary canal; improves circulation; 1 to 3 every two hours.

83	CREASOTE, gr. 1-67, gm. .001.....	.12	.50	.90
----	-----------------------------------	-----	-----	-----

From beechwood; antiseptic, antitubercular; eliminated mainly by lungs; 1 to 3 several times daily to saturation.

84	CROTON CHLORAL, gr. 1-6, gm. .01.....	.12	.50	.90
----	---------------------------------------	-----	-----	-----

Butyl chloral hydrate; acts like chloral but in much smaller dose; particularly useful in migraine and often helpful in dysmenorrhea; 1 or 2 every half hour until relief.

WE WILL PREPAY DELIVERY

	100	500	1000
85 CROTON OIL , gr. 1-12, gm. .005.....	\$.10	\$.35	\$.65
In small doses an excellent laxative, acting like castor oil, particularly useful for infants; 1 or 2 repeated as needed.			
86 CUBEBIN , Res., gr. 1-6, gm. .01.....	.15	.65	1.10
From cubebs; sedative to the general mucosa with special reference to the urinary tract; 2 or 3 every two hours.			
87 CYPRIPEDIN , Con., gr. 1-12, gm. .005.....	.12	.50	.90
Ladies' slipper; tonic, stimulant, antispasmodic and sedative; 1 to 6 every half to two hours as indicated.			
88 DIASTASE , gr. 1-6, gm. .01.....	.30	1.25	2.25
A digestive principle from malt; indicated in starch indigestion; 3 to 6 one or two hours after meals.			
89 DIGITALIN Germ. , Glu., gr. 1-67, gm. .001.....	.15	.65	1.10
This preparation contains both the heart tonic and diuretic principles of digitalis and more nearly represents the entire drug than any other; indicated in all heart waverings; 1 to 3 every two hours until effect, then three times daily; different conditions may indicate different dosage.			
90 DIGITIN , Glu., gr. 1-67, gm. .001.....	.25	1.00	1.75
This principle is the "digitaline" of some lists and is supposed to be purely stimulant to the heart; it is doubtful however if it is as serviceable as digitalin which contains this and other desirable principles as well.			
91 DIOSCOREIN , Con., gr. 1-6, gm. .01.....	.15	.65	1.10
From wild yam; it is antispasmodic with special reference to the alimentary canal and pelvic viscera; 1 to 3 every two to four hours, more frequently in urgent cases.			
92 ELATERIN , Con., gr. 1-67, gm. .001.....	.15	.65	1.10
From squirting cucumber; powerful cathartic; acts only in the presence of bile; 1 to 3 as needed.			
93 EMETINE , Alc. Ext., gr. 1-67, gm. .001.....	.10	.35	.65
94 " " " gr. 1-6, gm. .01.....	.40	1.75	3.25
From ipecac; expectorant and emetic; 1 granule, gr. 1-67, represents about one grain of good drug; increases mucous secretion; indicated in dry coughs and many bowel difficulties; too slow for an emetic; 1 to 3 every one or two hours.			
95 ERGOTIN , gr. 1-6, gm. .01.....	.15	.65	1.10
A purified aqueous extract of ergot; contracts capillaries and all circular fiber; suitable for hypodermic injection; 1 to 3 every half hour, or as needed.			
96 EUONYMIN , Res., gr. 1-67, gm. .001.....	.10	.35	.65
97 " " " gr. 1-6, gm. .01.....	.25	1.00	1.75
From the wahoo; an hepatic stimulant and cathartic; acts best with a bitter; 3 to 6 every four to six hours until effect.			
98 EUPURPURIN , Con., gr. 1-6, gm. .01.....	.25	1.00	1.75
From queen of the meadow; indicated in diseased conditions of mucous membranes; 1 to 3 three or four times daily.			

YOU SEND CASH WITH ORDER

	100	500	1000
99 GELSEMIN , Con., gr. 1-134, gm. .0005.....	\$.10	\$.35	\$.65
From gelsemium; antispasmodic; acting through the spinal cord; 1 to 3 every two hours, or as needed.			
100 GELSEMININE , Alk., gr. 1-250, gm. .00025	.30	1.25	2.25
Same source, dose and indication. (See Shaller's Guide.)			
101 GERANIN , Con., gr. 1-6, gm. .01.....	.12	.50	.90
From geranium; astringent tonic to mucous membranes; indicated in catarrhal conditions of the digestive tract, also of the urinary organs; 1 to 3 every two to four hours as required.			
102 GLONIN , gr. 1-250, gm. .00025.....	.10	.35	.65
Nitroglycerin, also called trinitrin; dilates capillaries, particularly cerebral; strengthens the heart; our best quick stimulant; indicated in syncope and all forms of heart failure; 1 or 2 hypodermically or 1 every five or ten minutes on the tongue until effect.			
103 GOLD CHLORIDE , gr. 1-67, gm. .001.....	.25	1.00	1.75
Alterative in cachectic conditions; small doses stimulate appetite; 1 or 2 three or four times daily.			
104 GOLD BROMIDE , gr. 1-67, gm. .001.....	.50	2.15	4.20
Indicated in nerve instability; 3 to 6 three times a day.			
105 GOSSYPIN , Con., gr. 1-6, gm. .01.....	.20	.75	1.40
From cottonroot bark; much like ergot only more oxytoxic; 1 to 6 every two hours until effect.			
106 GREGORY'S SALT , gr. 1-67, gm. .001.....	.10	.35	.65
A double chloride of morphine and codeine; about one-half morphine strength; dose and indications apparent.			
107 GUARANINE , gr. 1-67, gm. .001.....	.15	.65	1.10
From guarana; said to be identical with caffeine; same dose, indications and effect.			
108 GUAIACOL, Crystal , gr. 1-6, gm. .01.....	.20	.75	1.40
From creasote, same indications; less irritant; must be pushed to saturation; 1 as often as the stomach will bear.			
109 GUAIACOL CARBONATE , gr. 1-6, gm. .01	.20	.75	1.40
Similar to above; used in intestinal antiseptis; 1 to 3 every two to four hours until effect.			
110 HAMAMELIN , Con., gr. 1-6, gm. .01.....	.15	.65	1.10
From witch hazel; hemostatic by equalization of circulation; alterative to mucous membrane; 1 to 3 every two to four hours.			
111 HELENIN , Glu., gr. 1-67, gm. .001.....	.12	.50	.90
112 " " , gr. 1-6, gm. .01.....	.50	2.15	4.20
From elecampane; mucous membrane alterative; gr. 1-67 to gr. 1-6 every two to six hours.			
113 HELONIN , Con., gr. 1-6, gm. .01.....	.15	.65	1.10
From the true unicorn; tonic to reproductive organs; 1 three to six times daily.			
114 HYDRASTIN , Con., gr. 1-6, gm. .01.....	.15	.65	1.10
This concentration may be taken to represent hydrastis; same indications as given under its alkaloids; 1 to 3 every two to four hours.			

WE WILL PREPAY DELIVERY

		100	500	1000
115 HYDRASTINE SULPH. , gr. 1-67, gm. .001	\$.12	\$.50	\$.90	
116 " " gr. 1-6, gm. .01...	1.20	5.50	10.00	
An alkaloid from hydrastis; bitter tonic; hepatic stimulant and general alterative of mucous membranes; gr. 1-67 to gr. 1-6 every two to four hours.				
117 HYOSCYAMINE, Amor. , gr. 1-250, gm. .00025	.20	.75	1.40	
Combined alkaloids; antispasmodic; mildly hypnotic and generally sedative, 1 every half to one hour until effect. Must be stopped or given less frequently if pupils dilate.				
118 HYOSCYAMINE, Alk. , gr. 1-1000, gm. .0000625	.20	.75	1.40	
Same as above; about four times stronger, hence the dose; more purely hypnotic; 4 at night give good results.				
119 HYOSCINE (Alk.) HYDROBROM. , gr. 1-1000, gm. .0000625	.25	1.00	1.75	
Sedative, hypnotic; indicated in all motor excitation; 2 to 4 three to six times daily; 4 hypodermically at night for full effect.				
120 IPECAC , gr. 1-12, gm. .005.....	.10	.35	.65	
This granule of the entire drug is introduced to meet the needs of those who prefer it as an expectorant and emetic.				
121 IRIDIN, Res. , gr. 1-67, gm. .001.....	.10	.35	.65	
122 " " gr. 1-12 gm. .005.....	.12	.50	.90	
From iris—blue flag—sometimes called irisin; a cholagogue cathartic; acts on lymphatics like iodine; useful in syphilis, goiter and struma; gr. 1-67 to 1-6 three or four times a day.				
123 IODOFORM , gr. 1-67, gm. .001.....	.10	.35	.65	
124 " gr. 1-6, gm. .01.....	.12	.50	.90	
One of the most desirable preparations of iodine for internal use; antiseptic and alterative; gr. 1-67 to 1-6 three to six times daily.				
125 IRON ARSENIATE , gr. 1-67, gm. .001.....	.10	.35	.65	
126 " " gr. 1-6, gm. .01.....	.12	.50	.90	
Probably our best preparation of iron, combining the desirable properties of both ingredients; gr. 1-67 to 1-6 three to six times daily.				
127 IRON HYDROCYANATE , gr. 1/2, gm. .03	.15	.65	1.10	
Often called "Hydroferrocyanate" or "ide"; general tonic; strongly recommended in some forms of epilepsy; 1 three or four times daily.				
128 IRON IODIDE , gr. 1-12, gm. .005.....	.12	.50	.90	
Indicated in glandular disturbances, incipient phthisis and tuberculosis of the joints; 1 to 3 two to four times a day.				
129 IRON PHOSPHATE, Precip. , gr. 1-6, gm. .01	.10	.35	.65	
Indicated where phosphorus in addition to iron is needed; 1 three or four times a day.				
130 IRON VALERIANATE , gr. 1-6, gm. .01....	.10	.35	.65	
This preparation is often of value where an antispasmodic combined with tonic action is desired; dose the same as above.				

YOU SEND CASH WITH ORDER

		100	500	1000
131 JALAPIN , Res., gr. 1-67 gm. .001.....		\$.10	\$.35	\$.65
Identical with scammonin; from the jalap root; a hydragogue cathartic; best given in full doses; requires bile for action.				
132 JUGLANDIN , Res., gr. 1-67, gm. .001.....		.10	.35	.65
133 " " gr. 1-6, gm. .01.....		.15	.65	1.10
For constipation attended by congestion; soothes mucous irritability; is suitable for use in fevers; gr. 1-6, 2 to 4 three times a day as needed.				
134 KOUSSEIN , Res., gr. 1-67, gm. .001.....		.10	.35	.65
135 " " gr. 1-6, gm. .01.....		.20	.75	1.40
From koussou or brayera; anthelmintic; $\frac{1}{2}$ to 2 grains on empty stomach followed in two hours by castor oil; larger dose may be required; the small granule for infants.				
136 LEAD ACETATE , gr. 1-12, gm. .005.....		.10	.35	.65
Mildly astringent; must not be too long continued for fear of lead poisoning; 1 to 6 every two to four hours. See also "sugar of lead."				
137 LEPTANDRIN , Res., gr. 1-6, gm. .01.....		.12	.50	.90
Leptandra or Culver's root; cholagogue laxative; tonic stimulant in small doses three or four times a day, and cathartic in large doses, 3 to 6 in same interval.				
138 LITHIUM BENZOATE , gr. 1-6, gm. .01....		.10	.35	.65
Diuretic and antiseptic; stimulates elimination; soothing and alterative to the urinary tract; 1 to 3 every one or two hours; 3 with 1 of colchicine three or four times a day in rheumatic conditions.				
139 LITHIUM CARBONATE , gr. 1-6, gm. .01		.12	.50	.90
Similar to above without antiseptic action; dose and indications the same.				
140 LITHIUM SALICYLATE , gr. 1-6, gm. .01		.12	.50	.90
Antirheumatic, antilithic and antiseptic; dose and indications as above.				
141 LOBELIN , Con. gr. 1-12, gm. .005.....		.12	.50	.90
From lobelia inflata; expectorant in small, emeto-cathartic in large doses; 1 or more as indicated, until effect.				
142 LYCOPIN , Con., gr. 1-6, gm. .01.....		.12	.50	.90
From bugle weed; said to be expectorant and sedative; 1 or more three to six times daily.				
143 MACROTIN , Res., gr. 1-6, gm. .01.....		.12	.50	.90
From black snake-root; sympathetic excitant; relieves pain due to congestion of organs governed by the sympathetic; well combined with strychnine; 1 every one to three hours.				
144 MENISPERMIN , Con., gr. 1-6, gm. .01....		.15	.65	1.10
From Canadian moon seed or yellow parilla; is diuretic, tonic and alterative; latter properties mainly due to the berberine which it contains; 1 or more three to six times daily.				

WE WILL PREPAY DELIVERY

			100	500	1000
145	MENTHOL, gr. 1-12, gm. .005.....	\$.10	\$.35	\$.65	
	From the mint family; sedative, antispasmodic and antiseptic; excellent in flatulent colic; 1 or more as indicated.				
146	MERCURY BICHLOR., gr. 1-134, gm. .0005	.10	.35	.65	
147	" CYANIDE, gr. 1-134, gm. .0005	.10	.35	.65	
148	" BINIODIDE, gr. 1-67, gm. .001 -	.10	.35	.65	
149	" SALICYLATE, gr. 1-12, gm. .005	.15	.65	1.10	
150	" PROTOIODIDE, gr. 1-6, gm. .01	.12	.50	.90	

The indications for the use of the salts of mercury are so well known that little need be said except to emphasize their use in much smaller doses than they are usually given. The protoiodide, to the point of slight looseness of the bowels, is probably our best single remedy in syphilis. It should be given with the tonic arseniates.

151	MORPHINE (Alk.) SULPH., gr. 1-67, gm. .001	.12	.50	.90	
152	" " " gr. 1-12, gm. .005	.20	.75	1.40	
153	" " MUR., gr. 1-67, gm. .001	.12	.50	.90	
154	" " " gr. 1-12, gm. .005	.20	.75	1.40	
155	" " HYDROBROMATE, gr. 1-67, gm. .001	.12	.50	.90	

This, the principle alkaloid of opium, must be used in accordance with the effect desired, small doses being recommended in most conditions; a large single dose hypodermically is best suited to the relief of severe pain. The rapid absorption of this drug from the mouth should not be overlooked.

156	MUSCARINE(Alk.)SUL., gr. 1-250, gm. .00025	.30	1.25	2.25	
	Sedative to the heart; stimulates muciperous glands, particularly the salivary; checks perspiration; 1 to 3 as needed; best used hypodermically.				

157	NARCEINE, Alk., gr. 1-57, gm. .001.....	.12	.50	.90	
	From opium; said to be purely hypnotic; therapeutic position and dose not accurately determined.				

158	NICKEL BROMIDE, gr. 1-6, gm. .01.....	.12	.50	.90	
	Antiseptic and nerve sedative; suggested by Waugh in epilepsy, and one of the constituents of his famous "nervine granule," q. v.				

159	NUCLEIN SOL., (Aulde) gr. 1-12, gm. .005	.20	.80	1.50	
	(See under tablets.) We present here a remedy destined to occupy a high place in therapeutics, as a reconstructive agent in debilitated conditions. We are indebted mainly to Aulde of Philadelphia for our knowledge on this subject; the adult dose is 4 granules and may be used every two to four hours, or every hour for a time in an urgent case, children in proportion. For further information see reprint literature supplied on request.				

160	OPIUM, Pure Powd., gr. 1-6, gm. .01.....	.12	.50	.90	
	Introduced for the convenience of those who, for any reason, desire to avail themselves of the full drug.				

YOU SEND CASH WITH ORDER

		100	500	1000
161 PAPAYOTIN , Ferment, gr. 1-67, gm. .001....	\$.25	\$1.00	\$1.75	
162 " " " gr. 1-6, gm. .01.....	.60	2.75	5.25	
From the papaw; in various degrees of purity known as "Papain" and "Papoid", proprietary preparations; digestive strength 1 to 200; use and dose as indicated.				
163 PELLETERINE (Alk.) SULPHATE , gr. 1-134, gm. .0005	.25	1.00	1.75	
From pomegranate; anthelmintic; gr. 1-12 to ½ taken in the morning fasting, followed by a cathartic.				
164 PEPSIN , gr. 1-6, gm. .01.....	.20	.75	1.40	
Use, indications and dose well known; we would simply emphasize the fact that our drug is of the best and 1 to 3000 digestive strength.				
165 PHENACETINE , Bayer, gr. 1-6, gm. .01.....	.20	.75	1.40	
Anodyne, antispasmodic and febrifuge; 1 to 3 every fifteen to thirty minutes; 3 to 8 grains every two to four hours in some cases. See under "tablets."				
166 PHOSPHORUS , gr. 1-134, gm. .0005.....	.12	.50	.90	
Indicated in brain relaxation and disturbances attendant upon mental debility; 1 three times daily upon an empty stomach; must not be continued over ten days.				
167 PHYSOSTIGMINE , SALICYL. , gr. 1-1000, gm. .0000625	.10	.35	.65	
168 " " " gr. 1-250, gm. .00025	.20	.75	1.40	
From the alkaloid of calabar bean, also known as eserine; locally it contracts the pupil, internally it increases peristalsis and may be pushed to cathartic effect; in small doses it increases arterial tension but large doses depress the heart; gr. 1-67 should seldom be exceeded.				
169 PHYTOLACCIN , Con., gr. 1-6, gm. .01.....	.12	.50	.90	
From phytolacca decandra; alternative to glandular tissue; useful in some forms of sore throat; said to favorably influence hemorrhoids and other rectal difficulties; 1, two or three times daily.				
170 PICROTOXIN , Glu., gr. 1-134, gm. .0005....	.10	.35	.65	
From cocculus indicus, fish berry; similar to pilocarpine; stimulates mucous and sweat glands; is a nerve tonic and regulator; 1 three or four times daily.				
171 PILOCARPINE , (Alk.) NIT. , gr. 1-67, gm. .001 .60	2.75	5.25		
From jaborandi; induces free perspiration; gr. 1-10 hypodermically. Small doses, gr. 1-67 every half to one or two hours, increase mucous secretion; its power to induce violent perspiration makes it useful as a derivative in acute congestions of other organs, particularly lungs, kidneys and brain.				
172 PIPERINE , Alk., gr. 1-6, gm. .01.....	.12	.50	.90	
From black pepper; a stomachic tonic and, like other irritants, a general stimulant in medicinal doses; 1 or 2 before meals.				

WE WILL PREPAY DELIVERY

			100	500	1000
173	PODOPHYLLIN , Res., gr. 1-67, gm. .001...		\$.10	\$.35	\$.65
174	" " gr. 1-12, gm. .005...		.10	.35	.65
175	" " gr. 1-6, gm. .01.....		.12	.50	.90
<p>From the May apple; in minute doses, gr. 1-67, every one or two hours, corrects relaxation of the bowels; useful in many forms of diarrhea; in larger doses, gr. 1-12, three or four times a day, it is an excellent laxative; and 1-3 to $\frac{1}{2}$ a grain at once is an excellent hydragogue cathartic, acting in six to eight hours.</p>					
176	PODOPHYLLOTOXIN , Res., gr. 1-12, gm. .005		.12	.50	.90
<p>This principle is the product of further chemical manipulation of May apple; it is podophyllin without its objectionable features and is two or three times stronger; may be used to meet the same indications.</p>					
177	POPULIN , Con., gr. 1-6, gm. .01.....		.12	.50	.90
<p>From bark of white poplar, American aspen; as a bitter tonic it resembles brucine; is mildly antipyretic; useful after the severity of a malarial attack has passed; indicated, as a tonic astringent, in catarrhal conditions of alimentary and urinary tracts; 1 or more three or four times daily.</p>					
178	POTASSIUM ARSENIATE , gr. 1-67, gm. .001		.10	.35	.65
<p>A general reconstructive; 1 or more three or four times daily.</p>					
179	POTASSIUM BICHROM. , gr. 1-67, gm. .001		.10	.35	.65
<p>Alterative to mucous membranes, particularly the respiratory tract; in small doses, 1 every half to two hours, it is expectorant; as a relaxant in croup and capillary bronchitis, 1 to 3 should be given in hot solution every ten minutes until effect; in the third stage of pharyngitis, 1 every two hours, it works like a charm.</p>					
180	POTASSIUM CYANIDE , gr. 1-67, gm. .001		.10	.35	.65
<p>A sedative; useful in spasmodic coughs; 1 or 2 three or four times daily.</p>					
181	POTASSIUM PERMANG. , gr. 1-6, gm. .01		.10	.35	.65
<p>Indicated in functional amenorrhea; 1 every two to four hours, three or four days before period.</p>					
182	QUASSIN , Glu., Wht. Cryst., gr. 1-67, gm. .001		.20	.75	1.40
183	" " Amor. Brown, gr. 1-67, gm. .001		.12	.50	.90
<p>From quassia; bitter stomachic tonic; improves appetite and digestion; 2 to 5 of either before meals; often best given in solution; the amorphous usually preferred.</p>					
184	QUININE (Alk.) ARSEN. , gr. 1-67, gm. .001		.10	.35	.65
185	" " " gr. 1-6, gm. .01..		.20	.75	1.40
186	" " HYDROFER. , gr. 1-67, gm. .001		.10	.35	.65
187	" " " gr. 1-6, gm. .01		.20	.75	1.40
188	" " HYDROBROM. , gr. 1-6, gm. .01		.20	.75	1.40
189	" " HYPOPHOS. , gr. 1-6, gm. .01		.20	.75	1.40
190	" " PICRATE , gr. 1-6, gm. .01		.20	.75	1.40
191	" " SALICYLATE , gr. 1-6, gm. .01		.15	.65	1.10

YOU SEND CASH WITH ORDER

		100	500	1000
192	QUININE, (Alk.) SULPHATE, gr. 1-6, gm. .or	\$.12	\$.50	\$.90
193	" " VALERIAN., gr. 1-6, gm. .or	.15	.65	1.10

The quinine salts, from cinchona, are too well known to need much comment here. The different preparations vary according to the acid radical with which the alkaloid is combined to form the salt. Our only plea is for small, non-irritant doses, frequently repeated until the desired effect is produced. In violent intermittents, heroic, single doses are necessary but in most fevers all the good is accomplished with small, tonic doses; the evil effects of large doses being avoided thereby.

194	RESORCIN, gr. 1-6, gm. .or	.12	.50	.90
-----	----------------------------	-----	-----	-----

A synthetic product made by fusing certain gum-resins with caustic potash; it is antiferment and antiseptic, killing many forms of microbes; useful locally and internally in all exudative sore throats, eruptive fevers and diarrheas; 1 to 3 every two to four hours; 2 per cent solution for local application; as a dusting powder 1 to 20 of boracic acid.

195	RHEIN, Con., gr. 1-6, gm. .or	.20	.75	1.40
-----	-------------------------------	-----	-----	------

From rhubarb; possesses all the desirable properties of the drug; 1 to 3 every four hours until effect.

196	RHUS TOX, Green Tr., minim 1-10	.10	.35	.65
-----	---------------------------------	-----	-----	-----

A peculiar drug, meeting many indications and given to surprising the physician who gets a good preparation and uses it right. Its chief indication in chronic rheumatism, and the various conditions growing out of the rheumatic diathesis; 1 to 4 every two to four hours.

197	RUMICIN, Con., gr. 1-6, gm. .or	.12	.50	.90
-----	---------------------------------	-----	-----	-----

From rumex crispus, yellow dock; it is alterative, tonic and astringent; depends for its activity, mainly, on chrysophanic acid; 1 to 3 three or four times a day.

198	SACCHARINE, gr. 1-6, gm. .or	.12	.50	.90
-----	------------------------------	-----	-----	-----

Coal-tar derivative; about 280 times sweeter than cane sugar; should be used in place of sugar in bowel difficulties and in diabetes mellitus; covers bitters better than cane sugar.

199	SALICIN, Glu., gr. 1-6, gm. .or	.10	.35	.65
-----	---------------------------------	-----	-----	-----

From silex niger; antipyretic, antimalarial and antiseptic; tonic astringent in small doses, 1 or 2 three or four times a day; larger doses for other indications.

200	SALOL, gr. 1-6, gm. .or	.12	.50	.90
-----	-------------------------	-----	-----	-----

From coal tar (Salicylate of Phenol); a mucous alterative and antiseptic; eliminated mainly by the kidneys; local antiseptic to alimentary canal; 1 to 6 every half to two hours until effect.

201	SANGUINARINE, (Alk.) NITRATE, gr. 1-67, gm. .001	.12	.50	.90
-----	--	-----	-----	-----

General tonic and sexual stimulant, therefore indicated in amenorrhea, frigidity etc; stimulant to mucous membranes, hence expectorant; 3 or 4 every two to four hours.

202	SANTONIN, Glu. gr. 1-6, gm. .or	.12	.50	.90
-----	---------------------------------	-----	-----	-----

From German worm-seed; anthelmintic; 1 to 3 every two to four hours until effect.

WE WILL PREPAY DELIVERY

		100	500	1000
203 SCILLITIN , Glu., gr. 1-67, gm. .001.....		\$.20	\$.75	\$1.40
From squills; stimulating expectorant and heart-tonic; mildly diuretic; 1 or 2 every two to four hours.				
204 SCUTELLARIN , Con., gr. 1-6, gm. .01.....		.15	.65	1.10
Skull-cap; a weak antispasmodic; useful in hysteria, chorea, monomania etc.; 1 to 3 several times daily.				
205 SENECTIONIN , Con., gr. 1-6, gm. .01.....		.15	.65	1.10
From senecio, commonly called squaw-weed or life-root; this principle also called "senecin"; it is tonic to reproductive organs; indicated by a feeling of weight and dragging; 1 to 3 three or four times a day.				
206 SILVER OXIDE , gr. 1-67, gm. .001.....		.10	.35	.65
207 " " gr. 1-12, gm. .005.....		.20	.75	1.40
Antiseptic and tonic alterative, indicated in gastralgia, gastric catarrh, gastric ulcer, hematemesis, etc.; desirable astringent in chronic diarrhea; nerve regulator in chorea, epilepsy, etc.; gr. 1-67 to 1, as indicated, before each meal.				
208 SODIUM ARSENIATE , gr. 1-67, gm. .001...		.10	.35	.65
209 " BENZOATE , gr. 1-6, gm. .01.....		.10	.35	.65
210 " SALICYLATE , gr. 1-6, gm. .01....		.10	.35	.65
The salts of sodium are reconstructive, the selection being determined by the combination; 1 standard granule may be used every half to one or two hours, according to effect desired.				
211 SPARTEINE(Alk.)SULPH. , gr. 1-67, gm. .001		.12	.50	.90
212 " " " gr. 1-6, gm. .01		.50	2.00	3.00
Source, scoparius—broom corn; one of our best heart-tonics; may be given a long time without ill results; gr. 1-6 to 1, three or four times a day.				
213 STROPHANTHIN , Glu., gr. 1-500, gm. .000125		.30	1.25	2.25
From strophanthus; slows and strengthens heart, thereby raising blood-pressure, but does not contract arterioles; particularly indicated in mitral disease; 1 to 4 three or four times daily.				
214 STRYCHNINE , (Alk.)ARS., gr. 1-134, gm. .0005		.10	.35	.65
215 " " " gr. 1-30, gm. .002		.12	.50	.90
216 " " HYPOCHOS. , gr. 1-134, gm. .0005		.10	.35	.65
217 " " SULPHATE , gr. 1-134, gm. .0005		.10	.35	.65
218 " " VAL. , gr. 1-134, gm. .0005		.10	.35	.65
219 " " NIT. , gr. 1-67, gm. .001		.10	.35	.65
Strychnine, the principle alkaloid in nux vomica, is our best all-around cerebro-spinal tonic; it stimulates and revivifies every function of organic life; the selection of salt and dose depend entirely upon the conditions present; the drug, in the pure forms here indicated, may be given much more freely than has hitherto been supposed. We desire to emphasize its use, combined with hyoscyamine, in intestinal colic, retention of urine, distention of gall-bladder from impaction, strangulated hernia, delayed labor, etc.; the salts of strychnine must be fully known to be appreciated.				

YOU SEND CASH WITH ORDER

	100	500	1000
220 SUGAR OF LEAD , gr. 1-12, gm. .005.....	\$ 10	\$.35	\$.65
Properly, "lead acetate," q. v.; mildly astringent; must not be long continued for fear of lead poisoning; 1 to 6 every two to four hours.			
221 TARTAR EMETIC , gr. 1-67, gm. .001.....	.10	.35	.65
222 " " gr. 1-12, gm. .005.....	.10	.35	.65
Ammonii et potassii tartras; expectorant and emetic; general relaxant and sedative to the heart; indicated in some forms of indigestion, gr. 1-67 before meals; 1 to 3 gr. 1-67, every two hours as expectorant; as an emetic, for which it should seldom, if ever, be used, gr. 1-12 to 1 in hot water.			
223 VERATRINE , (Alk.) gr. 1-134, gm. .0005.....	.10	.35	.65
From veratrum sabadilla and other members of this family; it is antipyretic; dilates capillaries and slows heart; particularly useful in congestive fevers—rheumatism, pneumonia, etc.; 1 every half to one hour until effect; best given in combination with aconitine, digitalin or strychnine; should be used more generally than it now is.			
224 VIBURNIN , Con., gr. 1-6, gm. .01.....	.12	.50	.90
From viburnum prunifolium, black haw; a general uterine sedative and antispasmodic; indicated to prevent abortion and useful in dysmenorrhea; 1 to 6 or more as needed.			
225 XANTHOXYLIN , Con. gr. 1-6, gm. .01.....	.15	.65	1.10
Prickly ash; antirheumatic, diuretic and tonic; best stimulant known for mucosa generally; indicated in all departures from health; 1 to 6 or more every two to four hours.			
226 ZINC CYANIDE , gr. 1-67, gm. .001.....	.10	.35	.65
Antispasmodic and antineuralgic; indicated in gastralgia and choreiform convulsions; should be combined with strychnine; 4 to 8 daily.			
227 ZINC OXIDE , gr. 1-6, gm. .01.....	.10	.35	.65
Indicated in chorea, hysteria and other nervous affections; also in gastric catarrh; 1 to 6 three or four times a day.			
228 ZINC PHOSPHIDE , gr. 1-67, gm. .001.....	.10	.35	.65
Similar in indication and action to the cyanide; not so strong; same dosage.			
229 ZINC SULPHOCARBOLATE , gr. 1-6, gm. .01	.10	.35	.65
Our best intestinal antiseptic; may be given up to five grains every two hours until the stool ceases to be offensive; for infants and children 1 to 3 standard granules; for larger doses see under "tablets."			
230 ZINC VALERIANATE , gr. 1-6, gm. .01.....	.10	.35	.65
Similar in indications to the cyanide, particularly when associated with fever; 1 or 2 granules every two or three hours.			

WE WILL PREPAY DELIVERY

NOTE.

Under this heading we advertise a few formulæ that have been found particularly useful. Many more might be added and will be, no doubt, as demand grows.

We do not, as a rule, approve of compounds; they are not as scientific as single remedies; but being often exceedingly handy, they will creep in.

Our compound granules are made of the same material and with the same care that we use in the manufacture of our alkaloidal granules of the single principles.

	100	500	1000
231 ANODYNE FOR INFANTS. (WAUGH.)\$.15	\$.65	\$ 1.10

Nickel bromide, gr. 1-134; codeine sulphate, gr. 1-67; powdered ipecac, gr. 1-134; lithium carbonate, gr. 1-25; oil anise, gr. 1-134.

Indicated in flatulent colic, restlessness, etc.; 1 or 2 every fifteen to thirty minutes until effect; an excellent addition to aconitine in febrile conditions attended with cough and pain; should supplant all soothing syrups and be supplied by physicians in lieu thereof.

232 ANTICONSTIPATION. (Waugh's laxative.)	.12	.50	.90
(ORIGINAL FORMULA.)			

Ext. aloes, purified, gr. 1-12; ext. nux vomica, gr. 1-24; ext. belladonna, gr. 1-100; oleoresin capsicum, gr. 1-500; powdered ipecac, gr. 1-120.

Indicated in all forms of chronic constipation. A sufficient quantity, (3 to 6 or more) should be given three times a day, to produce one daily stool, preferably in the morning, continuing steadily and reducing the dose as a curative effect is produced. Special literature and full directions by Dr. Waugh accompany each package or will be sent on application.

233 ANTICONSTIPATION, (Waugh's laxative.)	.12	.50	.90
(ALKALOIDAL FORMULA.)			

Aloin, gr. 1-25; strychn. sulphate, gr. 1-500; atropine sulphate, gr. 1-2500; oleoresin capsicum, gr. 1-500.

This substitute for the "original formula" is offered for those who may prefer to use it. The same directions apply as for the above.

234 ANTIMALARIAL, (DUMAS.)30	1.25	2.25
-----------------------------------	-------	-----	------	------

Strychn. ars., gr. 1-250; quinine ars., gr. 1-134; iron ars., gr. 1-12; quinine hydrofer., gr. 1-6.

Indicated in atonic and malarial conditions; 1 every two hours until a feeling of stimulation is experienced, then 1 three or four times a day.

235 ANTI-EPILEPSY, (TIMMERMAN.)15	.65	1.10
--	-------	-----	-----	------

Atropine sulph., gr. 1-600; glonoin, gr. 1-500.

This granule is particularly worthy of attention. See CLINIC for '95, page 81. Epilepsy being due to some cause that alternately contracts and dilates the circulation beyond physiological limits, this combination is obviously indicated; 1 to 4 three to six times a day to produce and maintain slight physiological effect.

YOU SEND CASH WITH ORDER

100 500 1000

236 ATROPINE, ACONITINE AND MORPHINE COMP.

(Coryza.)

\$.20 \$.75 \$1.40

Atropine sulph., gr. 1-1500; aconitine, gr. 1-500; morphine sulph., gr. 1-100; calomel, gr. 1-12.

For breaking up an acute cold in its early stage; 1 granule every half hour until dryness of throat is noticed, then every two hours for one or two days.

237 BLUE MASS AND SODA,.....

.10 .35 .65

Blue mass, gr. 1-16; soda bi-carbonate, gr. 3-16; aromatics, q. s.

A useful granule in muco-enteritis and vitiated conditions of the alimentary canal. In urticaria it works like a charin; 1 or 2 every two to four hours until effect. Directions can of course only be relative.

238 CALCIUM SULPHIDE COMP., (AULDE)..

.40 1.75 3.25

Morphine hydrochlorate, gr. 1-200; pilocarpine hydrochlorate, gr. 1-200; calcium sulphide, gr. 1-40.

Indicated in acute bronchitis and similar conditions. An excellent all-around cough granule; 1 to 4 every hour until effect; and then less frequently.

239 CHLORODYNE,.....

.30 1.25 2.25

Morphine sulph., gr. 1-24; cannabin tannate, gr. 1-67, hyoscyamine amorphous, gr. 1-1000; oleoresin capsicum, gr. 1-134; oil menth. pip., gr. 1-67; glonoin, gr. 1-500.

A particularly valuable prescription indicated in abdominal pains attendant upon indigestion and disturbances of circulation; relieves spasm and brings blood to surface; 1 to 3 every half hour until effect. To control diarrhea, 1 after each passage.

240 COUGH, (BLACKHAM.).....

.20 .75 1.40

Morphine sulph., gr. 1-100; tartar emetic, gr. 1-100; emetine, gr. 1-500; pilocarpine nitrate, gr. 1-250.

Meets many indications in acute and chronic lung difficulties; 1 or 2 as required.

241 DEFERVESCENT COMP., No. 1, (ABBOTT)

.30 1.25 2.25

Aconitine amorph., gr. 1-134; digitalin Germanic, gr. 1-67; veratrine, gr. 1-134.

We desire to call particular attention to this granule. We know of no combination of the alkaloids that will so promptly reduce sthenic fever; the pulse and temperature fall gradually but surely; 1 granule may be given every one-half to one hour according to conditions until effect. In urgent cases it may be given for three or four doses fifteen minutes apart. It is often well to give each granule dissolved in an ounce or so of hot water.

242 DEFERVESCENT COMP., No. 2,.....

.15 .65 1.10

(One-fourth strength of No. 1.)

Introduced for convenience in the treatment of children when a granule is preferred to a solution. Same general directions apply. The No. 1 may be dissolved for children, following the aconitine rule. See under aconitine.

WE WILL PREPAY DELIVERY

	100	500	1000
243 DOSIMETRIC TRINITY, No. 1.....	\$.30	\$1.25	\$2.25
(BURGGRAEVE.)			

Aconitine amorph., gr. 1-134; digitalin, Germanic, gr. 1-67; strychnine arseniate, gr. 1-134.

This combination meets the same indications as the above, when they exist in less robust patients where the tonic action of strychnine is needed. In certain congestions due to relaxation, it is even more efficient; same directions apply.

244 DOSIMETRIC TRINITY, No. 2,.....	.15	.65	1.10
(BURGGRAEVE.) (One-fourth strength of No. 1.)			

This granule bears the same relation to its No. 1 and is introduced for the same reason as the defervescent compound.

245 DOVER'S POWDERS, (Modified.) (WAUGH.)	.15	.65	1.10
Morphine sulph., gr. 1-134; emetine, gr. 1-250; camphor monobromide, gr. 1-12.			

This combination may well replace the old standard formula, at the same time having a much wider range of usefulness. It is one of our best cough granules, as well as a valuable anodyne and hypnotic. Dose must be determined by morphine strength.

246 GOLD CHLORIDE AND SODIUM, gr. 1-50	.12	.50	.90
247 " " " " gr. 1-20	.25	1.00	1.75

Indicated as an alterative in syphilis, also in sexual and digestive difficulties due to ganglionic inactivity; gr. 1-50 to 1-20, three to six times a day.

248 HEART TONIC,.....	.25	1.00	1.75
------------------------------	------------	-------------	-------------

Digitalin, gr. 1-134; strophanthin, gr. 1-5000; strychnine sulph., gr. 1-500; sparteine sulph., gr. 1-40; glonoin. gr. 1-500; cactus grandiflora, $\frac{1}{2}$ drop.

This formula is a "shot gun" and no mistake, but it is a good one and will meet a variety of conditions where it is impossible to make a close diagnosis or inexpedient to carry out close therapeutic measures. In acute conditions, give 1 every fifteen minutes until effect, then 3 or 4 every six hours for continuous action.

249 MERCURY WITH CHALK, gr. 1-6.....	10	.35	.65
(Hydrargyrum cum Creta.)			

This old standard drug is often asked for, and will be found very handy in granule form.

250 MORPHINE AND TARTAR EMETIC,....	.15	.65	1.10
Morphine muriate, gr. 1-50; tartar emetic, gr. 1.50.			

This is a valuable, and has been a popular, cough combination, being particularly adapted to dry, irritable conditions; 1 to 3 granules every two to four hours according to condition.

251 MORPHINE AND POT. CYANIDE COMP., No. 1.			
(HAWKINS.)			
	.25	1.10	2.15

Morphine sulph., gr. 1-16; potassium cyanide, gr. 1-24; tartar emetic gr. 1-16.

This happy combination meets the need of many cases where an irritable cough is present. It is especially adapted to that from nervo-capillary irritation in the first stage of bronchitis; 1 every two to four hours.

YOU SEND CASH WITH ORDER

	100	500	1000
--	-----	-----	------

252 MORPHINE AND POT. CYANIDE COMP. No. 2

(HAWKINS.) (One-fourth strength of No. 1.) \$ 12 \$.50 \$.90

Useful where a smaller dose in granule form is desired. It is probably more practical for general use than the above.

253 NERVINE, (WAUGH.)..... .30 1.25 2.25

Gold bromide, gr. 1-250; arsenic bromide, gr. 1-250; ext. aloes, purified, gr. 1-134; nickel bromide, gr. 1-16.

"One or 2 every twenty minutes until quieted in 'nervousness'; 2 to 6 every four hours for grave neuratic cases, to be stopped for the balance of the day when fullness of the head, fever, or hardness of the gums is felt."—WAUGH.

254 RHEUMATIC, (CUSHMAN.)..... .30 1.25 2.25

Aconitine amorph., gr. 1-134; colchicine, gr. 1-134; strychnine sulph. gr. 1-134; macrotin, gr. 1-6.

Indicated in acute rheumatism accompanied by fever and pain; 1 every hour until fever falls and pulse softens, then every two to four hours to maintain effect.

255 STRYCH. AND PHOS. COMP., No. 1,.... .23 1.05 2.00

(HAWKINS.)

Strychnine sulph., gr. 1-100; phosphorus, gr. 1-200; atropine sulph., 1-300; cannabin (res.) gr. 1-47.

256 STRYCH. AND PHOS. COMP., No. 2,... .10 .35 .65

(HAWKINS.) (One-fourth strength of No. 1.)

The value of the above formula as a nerve tonic in all cases of actual debility will be apparent to the educated physician at a glance, without further comment. The selection of strength will, of course, depend entirely upon the case at hand. The half-strength granule, admitting of greater variation of dose, will, therefore, no doubt, be found more useful.

257 SULPHUR COMPOUND, (BUCKLEY.)..... .12 .50 .90

Pulverized sulphur gr. 1-134; extract nux vomica, gr. 1-67; podop' yllin (neutral) gr. 1-67; collinsonin, gr. 1-134.

An invaluable hepatic stimulant and general laxative, especially indicated in "biliousness" and where piles are due to hepatic engorgement. Use 2 to 4 every one, two or three hours, according to circumstances and conditions, until effect, and then stop; Repeat again as needed.

This compound should be more largely used. It has grown out of the experience of Dr. Buckley and this fact alone should secure a trial; once tried it will make you its friend.

In the many cases of dyspepsia, with cardiac debility and congestion of the liver, the "sulphur compound" and "heart tonic" of this list, one of each every two hours, will astonish you. This is but one of the many ways in which the use of this granule will add to your success.

A WORD ABOUT TABLETS.

We list but few and only of such drugs as necessarily need to be given in larger doses than are practical or economical in granule form. These we make of the same quality of material used in our granules, exercising every possible care and skill in their manufacture. Our prices, in some instances, are higher than others but we guarantee quality and prepay delivery when cash accompanies the order.

In addition to this, if any of our friends using tablets so desire, we will fill their orders for regular stock tablets at the same prices paid other legitimate manufacturers, provided they are ordered in thousand lots. Special and private formulæ cannot be made up in less quantity than 3000 except at an advanced price.

In ordering tablets not on our list, state from whose list you take the formula and enclose the price. Up to one grain add 5 cents per thousand for postage; from one to five grains, 8 cents, and above that, 15 cents per thousand, unless they are sent at purchaser's expense. Tablets ordered in this way, outside our list, are strictly net. Cash should be sent with order.

We particularly solicit orders for tablets in large quantity, on which we will make special prices. If any of our friends are using specialties in this line they will find it to their advantage to communicate with us as they are always sure of the best quality of material and workmanship.

ALKALOIDAL TABLETS.

To meet a demand we have prepared to supply duplicates of the most of our Alkaloidal Granule list in tablet form.

These are of uniform size (one-half grain) and correspond in dosage and price to our granule list and are made of the same material as our Alkaloidal Granules.

Unless "Alkaloidal Tablets" are specified we always send granules.

YOU SEND CASH WITH ORDER

		100	500	1000
258 ACETANILID, gr. 1.....		\$.10	\$.35	\$.65
259 " grs. 2½.....		.12	.50	.90

Acetanilid is used as an analgesic to relieve headache and neuralgia, and as an antipyretic. Dose, 1 to 10 grs. according to age and individual susceptibility of the patient. It is the basis of most of the headache cures so extensively sold through the drug trade.

260 ALKALINE, (DOBELL'S.).....	.20	.75	1.25
Postage 10 cents per 100 additional.			

Sodium bi-carb., gr. 6; sodium borate, gr. 6; carbolic acid, gr. 1.

One tablet dissolved in 3 ozs. of warm water makes "Dobell's Solution"

Used as an alkaline, antiseptic cleansing wash in catarrhal affections.

261 ALKALINE AND ANTISEPTIC,.....	.20	.75	1.40
(As suggested by Dr. Carl Seiler.) Postage 10 cents per 100 additional.			

Sodium bicarb., gr. 5; sodium borate, gr. 5; sodium benzoate, gr. 7-24; sodium salicylate, gr. 7-24; sodium chloride, gr. 5; eucalyptol, gr. 7-48; thymol, gr. 7-48; menthol, gr. 7-96; oil gaultheria gr. 7-96.

Used as an antiseptic, cleansing wash in nasal catarrh, etc. As a mouth and tooth wash it is unexcelled. Directions—Dissolve one tablet in two fluidounces of warm water, and use as a spray or wash.

262 ALOIN, BELLADONNA, PODOPHYLLIN AND NUX.	.10	.35	.65
---	-----	-----	-----

Aloin, gr. 1-10; ext. belladonna, gr. 1-10; podophyllin, gr. 1-10; ext. nux vomica, gr. 1-10.

263 ALOIN, BELLADONNA AND STRYCH.	.10	.35	.65
Aloin, gr. 1-5; ext. belladonna, gr. ⅛; strych. sulph., gr. 1-60.			

264 ALOIN, BELLADONNA AND STRYCH. No. 2	.10	.35	.65
---	-----	-----	-----

Aloin, gr. 1-5; ext. belladonna, gr. ⅛; strych. sulph. gr. 1-120.

265 ALOIN, BELLADONNA AND STRYCH. WITH CAS- CARA,.....	.10	.35	.65
---	-----	-----	-----

Aloin, gr. 1-5; ext. belladonna, gr. ⅛; strych. sulph., gr. 1-60; cascara, gr. ½.

266 ALOIN, BELLADONNA AND STRYCH. WITH IPE- CAC,.....	.10	.35	.65
--	-----	-----	-----

Aloin, gr. 1-5; ext. belladonna, gr. ⅛; strych. sulph., gr. 1-60; ipecac, powd., gr. 1-16.

The foregoing compounds of aloin, for the relief of constipation, are well known and it only remains for the physician to select for special indications.

267 AMMONIUM CHLORIDE COMP. WITH CODEINE,	.15	.65	1.10
---	-----	-----	------

Ammonium chloride, gr. ¼; ext. licorice, gr. 1-10; powdered cubebs, gr. ⅛; codeine sulphate, gr. 1-25.

For acute bronchitis and coughs and colds in general; 1 repeated every half to one or two hours as needed.

WE WILL PREPAY DELIVERY

	100	500	1000
268 ANTI-ASTHMATIC, (HARE.)	\$.35	\$ 1.50	\$ 2.75
Sodium iodide, gr. 2; sodium bromide, gr. 2; fl. ext. euphorbia pil., m. 3; nitroglycerine, gr. 1-200; tinct. lobelia, m. 2.			
For dyspnea and hoarseness of voice; 1 every three or four hours.			
269 ANTICONSTIPATION, No. 112	.50	.90
Ext. cascara sag., gr. 1; ext. nux vomica, gr. $\frac{1}{8}$; ext. belladonna, gr. $\frac{1}{8}$; powd. ipecac, gr. $\frac{1}{8}$; podophyllin, gr. $\frac{1}{8}$.			
270 ANTICONSTIPATION, No. 210	.35	.65
Aloin, gr. 1-8; podophyllin, gr. 1-8; ext. belladonna, gr. 1-8; strychnine, gr. 1-80; oleoresin capsicum, gr. 1-10.			
The above remedies for constipation may be given in sufficient dose at night, or, better, like our granules, in divided doses three times a day.			
271 ANTICHLOROSIS,30	1.25	2.25
Quinine sulph., gr. 1; iron sulphate, gr. 1; strychnine sulphate, gr. 1-40; acid arsenious, gr. 1-30.			
This combination is of especial value in chlorosis and allied affections, being one of the most powerful tonic combinations we possess; 1 three or four times a day.			
To get the best results, it should be suspended a day or two about once a week, and continued for some months.			
It is also of great value in the malarial cachexia; use as indicated.			
272 ANTISEPTIC, (Corrosive sublimate)20	.75	1.40
(colored blue)			
Corrosive sublimate, gr. $1\frac{1}{4}$; citric acid, gr. 87-100			
For External Use only One tablet in four ounces of water makes a 1 to 1000 solution.			
273 APHRODISIAC,20	.75	1.40
Ext. damiana, gr. 2; ext. nux vomica, gr. 1-8; zinc phosphide, gr. 1-10; cantharides, gr. 1-25.			
As a stimulant to the generative organs in impotency, 1 tablet night and morning.			
274 BETA NAPHTHOL, gr. 1.....	.12	.50	.90
275 " " " gr. $2\frac{1}{2}$20	.75	1.40
This is perhaps, the most reliable non-toxic drug we have with which to arrest putrefactive changes in the alimentary canal. Adult dose, $2\frac{1}{2}$ to 5 grains three or four times a day; children in proportion.			
276 BISMUTH SALICYLATE, gr. 1.....	.20	.75	1.40
An intestinal antiseptic useful in diarrhea; 1 or more every one to four hours as indicated.			
277 BISMUTH SUB-GALLATE, gr. 5.....	.80	3.85	7.50
This drug is quite widely known by its trade name, "Dermatol." It is recognized as one of the most valuable anti-zymotics we possess and is particularly recommended by eminent authority in fermentive dyspepsia; 1 before meals.			
278 BLUE MASS, gr. 1.....	.10	.35	.65
For its alterative effect upon the digestive organs; 1 to 3 at night.			

YOU SEND CASH WITH ORDER

	100	500	1000
279 BLUE MASS , gr. 5.....	\$.20	\$1.00	\$1.75
Hepatic; for torpor of the liver. One or two tablets at night followed in the morning by "seidlitz salt" or other purgative.			
280 CALOMEL , gr. 1-10.....	.10	.35	.65
281 " gr. 1.....	.10	.35	.65
Calomel is used in varying dosage, for nearly all derangements of the hepatic functions. In minute doses as an hepatic and intestinal tonic and corrective of diarrhea; in larger doses as a cathartic followed by other cathartics, preferably the "seidlitz salt."			
282 CALOMEL AND IPECAC ,.....	.10	.35	.65
Calomel, gr. 1-8; powd. ipecac, gr. 1-8.			
For biliousness and indigestion, 1 to 4 after meals. For diarrhea, 1 repeated every two hours until three or four are taken.			
283 CAMPHOR MONOBROMATED , gr. 1.....	.10	.35	.65
Used as a nervous sedative in hysteria, convulsive irritation of teething, sleeplessness, etc. Dose, one or two grains repeated every two hours or so.			
284 CAPSICUM AND NUX VOMICA ,.....	.10	.35	.65
Capsicum, gr. 1-10; nux vomica, gr. ¼.			
Stomachic tonic, used in atonic dyspepsia and gastralgia, and to diminish the craving for stimulants when they are withdrawn, and to sustain the nervous system. One or two tablets every four hours or after meals as required.			
285 CATHARTIC COMP. , (U. S. P. Mass.) gr. 1.....	.10	.35	.65
Ext. colocynth comp., gr. ⅓; ext. jalap, gr. 1-6; calomel, gr. ⅓; powd. gamboge, gr. 1-12.			
286 CATHARTIC COMP. IMPROVED , gr. 1.....	.10	.35	.65
Ext. colocynth comp., gr. ⅓; podophyllin, gr. 1-12; leptandrin, gr. 1-12; ext. jalap, gr. 1-6; ext. gentian, gr. 1-6; ext. hyoscyamus, gr. 1-12; oil peppermint, q. s.			
One to three tablets at night or one three times a day.			
287 COPPER ARSENITE , gr. 1-100.....	.10	.35	.65
For indications and dose see granule list.			
288 COPPER ARSENITE , gr. 1.....	.20	.75	1.40
For hypodermic solutions, dissolve one tablet in four ounces of boiled water and add dilute hydrochloric acid drop by drop till the solution clears. Thirty minims of this solution will contain about gr. 1-67 of the copper salt.			
289 CROUP , (Spasmodic.).....	.25	1.00	1.75
Ext. cannabis indica, gr. 1-20; ext. hyoscyamus, gr. 1-20; paregoric, 5 m.; syr. ipecac, 5 m.; ext. licorice, gr. 2.			
In croupy conditions give one tablet every hour; if spasm is severe use more frequently or precede with a hypodermic of apomorphine.			
290 DIARRHEA ,.....	.12	.50	.90
Calomel, gr. 1-8; morphine sulph., gr. 1-16; powd. ipecac, gr. 1-32; powd. capsicum, gr. 1-16; camphor, gr. 1-16.			
Dose, one tablet every hour or two until relieved.			

WE WILL PREPAY DELIVERY

	100	500	1000
291 EMMENAGOGUE , (Improved.).....	\$.25	\$1.00	\$1.75
Ext. gossypium, gr. 1; ergotin, gr. 1; dried ferrous sulphate, gr. 1; ext. blk. hellebore, gr. 1; aloes, socotrine, gr. 1; oil savin, m. $\frac{1}{4}$			
Dose, 1 to 3 tablets and repeat.			
292 ERGOTIN , gr. 2.....	.30	1.25	2.25
Used to control internal hæmorrhage and as a general nerve tonic and vaso-motor stimulant. With care its solution may be used hypodermically.			
293 FOUR CHLORIDES30	1.25	2.25
Ferric chloride, gr. $\frac{23}{4}$; mercuric chloride, gr. 1-48; arsenic chloride, gr. 1-64; quinine hydrochlorate, gr. 1.			
Alterative and tonic in anemia and allied conditions. Should be given on a full stomach.			
294 GUAIAAC , M. 5 of Tr.....	.12	.50	.90
Particularly useful in the treatment of sore throat; specific, if used early, in tonsillitis; 1 every half to two hours according to conditions.			
295 HEPATIC , (Eclectic).....	.15	.65	1.10
Podophyllin, gr. $\frac{1}{4}$; leptandrin, gr. $\frac{1}{2}$; irisin, gr. $\frac{1}{4}$; ext. nux vomica, gr. 1-16; powd. capsicum, gr. $\frac{1}{3}$.			
Indicated in functional disorders of the liver as an hepatic stimulant; 1 to 3 at night or 1 three times a day.			
296 HEPATIC , (KENYON.).....	.10	.35	.65
Euonymin, gr. $\frac{1}{8}$; podophyllin, gr. 1-20; powd. ipecac, gr. $\frac{1}{8}$; calomel, gr. $\frac{1}{8}$; aloin, gr. 1-12.			
Used as an hepatic stimulant in chronic constipation; 1 to 4 at night, according to desired conditions and the effect.			
297 IRON, ARSENIC AND STRYCHNINE ,..	.10	.35	.65
Reduced iron, gr. 1; arsenious acid, gr. 1-50; strychnine sulphate, gr. 1-60.			
Used as a general tonic in all kinds of anemia; 1 after each meal.			
298 IRON, QUININE AND ARSENIC ,.....	.12	.50	.90
Reduced iron, gr. $\frac{1}{2}$; quinine sulphate, gr. $\frac{1}{2}$; arsenious acid, gr. 1-100.			
Used as a general tonic in anemic conditions; 1 every three or four hours.			
299 IRON, QUININE AND STRYCHNINE ,..	.12	.50	.90
Reduced iron, gr. $\frac{1}{2}$; quinine sulphate, gr. $\frac{1}{2}$; strychnine sulphate, gr. 1-120.			
Used as a general tonic; 1 or 2 after meals.			
300 LITHIA ,—See under Specialties.			
301 MIGRAINE , (ABBOTT'S.).....	.15	.65	1.10
Acetanilid, gr. 1; soda bicarb. gr. 2; camphor monobrom., gr. $\frac{1}{2}$; caffeine, gr. 1-6.			
Indicated in nervous and reflex headaches; the small amount of acetanilid in connection with the other drugs gives us a physiological instead of a sledge hammer combination; 1 every fifteen to thirty minutes until effect and then as required.			

YOU SEND CASH WITH ORDER

	100	500	1000
302 MORPHINE SULPHATE , gr. $\frac{1}{4}$	\$.30	\$1.40	\$2.60
Use and dose well known and may be used hypodermically.			
303 NEURALGIC HEADACHE , (MYERS.).....	.30	1.40	2.60
Sodium bromide, gr. 5; caffeine, citrated, gr. $\frac{1}{2}$; acetanilid, gr. 1; ext. hyoscyamus, gr. $\frac{1}{2}$; morphine sulphate, gr. 1-50.			
Used in migraine, headache, and facial neuralgia; 1 repeated every thirty minutes until effect.			
304 NUCLEIN SOLUTION , (AULDE.) 48-150 m....	.60	2.50	5.00
These tablets are made from the true, standard solution. For further particulars, see under granules page 12.			
Indicated in all conditions of blood degeneration; 1 every two to four hours. Push harder in urgent cases. Send for literature.			
305 OX-GALL, PANCREATIN AND NUX30	1.40	2.60
Inspissiated ox-gall, gr. 2; pancreatin, gr. 2; ext. nux vomica, gr. $\frac{1}{8}$.			
Used to promote intestinal digestion and in all cases deficient in biliary secretion; 1, with water, two hours after meals.			
306 PEPSIN , (1 to 3000) gr. 1.....	.20	.75	1.40
For stomachic indigestion; should never be given with alkalies but may be with hydrochloric acid solution; 1 to 5 one-half to one hour after meals.			
307 PEPSIN AND NUX VOMICA ,.....	.20	.75	1.40
Pure pepsin, gr. 1; nux vomica, gr. 1-10.			
Used in atonic dyspepsia; 1 after meals.			
308 PEPSIN AND NUX VOMICA, No. 210	.40	.75
Pepsin, gr. 1-10; nux vomica, gr. 1-100.			
For atonic dyspepsia; use after meals as indicated.			
309 PEPSIN COMP.12	.50	.90
Pure pepsin, gr. $\frac{1}{8}$; ext. nux vomica, gr. 1-10; capsicum, gr. 1-10; powd. ipecac, gr. 1-20.			
Indicated in muscular and peptogenic atony of stomach; 1 or 2 one-half to one hour after meals.			
310 PHENACETINE , (BAYER.) gr. 2.....	.80	3.75	7.10
Analgesic and antipyretic; used to quiet pain in rheumatic affections, reduce the temperature in fever and produce quiet sleep; 2 to 15 grains as may be necessary every two hours.			
311 POTASSIUM BROMIDE , gr. 5.....	.10	.40	.75
Used as a sedative. Dissolve dose required in water and repeat every hour until its specific effects appear.			
312 QUININE SULPHATE , gr. $\frac{1}{2}$15	.65	1.10
313 " " gr. 1.....	.20	.75	1.40
314 " " gr. 2.....	.30	1.40	2.60
315 " " gr. 5.....	.60	2.50	5.00

The use and dose of this drug is well known, our only plea is for the small doses.

WE WILL PREPAY DELIVERY

	100	500	1000
316 SALICIN , gr. 2½.....	\$.20	\$.75	\$ 1.40
317 " " gr. 5.....	.30	1.40	2.60
Recommended in acute rheumatism, in intermittents, typhoid diseases, etc. Dose, 1 to 10 grains.			
318 SALICYLIC ACID , (True) gr. 1.....	.10	.40	.75
Antiseptic, antipyretic. Used in acute rheumatism and its complications; 1 to 3 every hour or two as required.			
319 SALOL , gr. 2½.....	.40	1.75	3.25
Aside from the usefulness of this drug in rheumatic affections, we wish particularly to emphasize its value in cystitis, especially in that form, in old age, due to inability to completely empty the bladder. One or two tablets three or four times a day will effectually prevent decomposition of the urine, and a cure will, thereby, be greatly facilitated. This tablet is also useful in fermentive conditions of the alimentary canal in general, and it is probably this action which benefits in rheumatism. One or two tablets should be given hourly till effect.			
320 SANTONIN AND CALOMEL ,.....	.10	.35	.65
Santonin, gr. 1-10; calomel, gr. 1-10.			
As an anthelmintic and alterative in the parasitic diseases of children; 1 or more every one or two hours till effect. It is often well to follow with a cathartic.			
321 SODIUM BENZOATE , gr. 5.....	.30	1.40	2.60
An antiseptic eliminated by the mucous membrane; indicated in catarrhal difficulties of the bladder, but particularly in follicular tonsilitis; 5 to 10 grains every two hours.			
322 SODIUM BROMIDE , gr. 5.....	.20	.75	1.40
As this tablet gathers moisture from exposure, we advise it to be bought only in 100 lots, or else if bought in larger quantity, that it be re-bottled at once, and kept tightly corked. It is also well to order this tablet dissolved before taking, as it sometimes produces nausea otherwise.			
323 SODIUM PHOSPHATE , gr. 10.....	.25	1.00	1.75
Used as a mild saline laxative in bilious sick-headache and in jaundice dependent on catarrh of the bile-ducts; 1 after each meal or 2 or 3 at night.			
324 SODIUM SALICYLATE , gr. 5.....	.25	1.10	2.00
Indicated in some forms of rheumatism and fermentation; 1 to 3 every two hours in aromatic solution.			
325 SODIUM SUCCINATE , gr. 5.....	.60	2.75	5.00
A valuable remedy in the treatment of the gall-stone diathesis; 1 three or four times a day. Must be continued a long time.			
326 THREE IODIDES10	.35	.65
Mercuric iodide, red, gr. 1-30; ferrous iodide, gr. 1-12; arsenic iodide, gr. 1-40.			
Used as an alterative in various diseases of the skin, in chronic rheumatism and in advanced specific diseases; 1 three times a day with water			

YOU SEND CASH WITH ORDER

	100	500	1000
--	-----	-----	------

327 TONSILLITIS	\$.10	\$.35	\$.65
------------------------------	--------	--------	--------

Tinct. aconite, m. 1-5; tinct. bryonia, m. 1-10; tinct. belladonna, m. 1-10; mercury red iodide, gr. 1-100.

Indicated in tonsillitis, acute pharyngitis, ulceration of tonsils, and all acute glandular affections of throat and neck, when accompanied by fever; 1 tablet every half hour until fever subsides, then every hour or two.

328 TRIPLE BROMIDES30	1.40	2.60
----------------------------------	-----	------	------

Sodium bromide, gr. 5; potassium bromide, gr. 5; ammonium bromide, gr. 5.

Used to control sleeplessness or restlessness due to nervous erethism, excitement of the sexual organs, spasmodic convulsions when caused by reflex of the cord or by cerebral hyperæmia, etc. The bromides are given in doses of 1 to 20 grs., according to age, dissolved in water and may be repeated every hour, if required, until effect.

329 VAGINAL ASTRINGENT30	1.25	2.25
-------------------------------------	-----	------	------

Alum, gr. 3; zinc sulphate, gr. 2; fl. golden seal (colorless), m. 1½; morphine sulphate, gr. 1-20; tannic acid, gr. 2; boric acid, gr. 6.

Used in solution as a vaginal astringent and antiseptic wash. Dissolve two tablets in about one quart of warm water and inject slowly at night.

330 ZINC AND CODEINE COMP.60	2.75	5.25
---	-----	------	------

(SHALLER & ABBOTT.)

Zinc sulphocarbolate, gr. 1; codeine sulphate, gr. ¼; hyoscyamine, (amor.) gr. 1-250; strychnine sulphate, gr. 1-134.

Particularly indicated in nervous and asthenic diarrheas; adult dose, 1 every one or two hours.

331 ZINC PHOSPHIDE AND NUX VOMICA ..	.10	.35	.65
---	-----	-----	-----

Zinc phosphide, gr. 1-10; ext. nux vomica, gr. ¼.

Used as a tonic to the nervous system; 1 every three or four hours.

332 ZINC PHOSPHIDE AND NUX VOMICA COMP.	.10	.35	.65
--	-----	-----	-----

Zinc phosphide, gr. ⅛; ext. nux vomica, gr. ⅛; ext. cannabis indica, gr. ⅛.

Used in insomnia, impotence, etc.; 1 three times a day.

333 ZINC PHOSPHIDE AND NUX VOMICA WITH IRON	.10	.35	.65
--	-----	-----	-----

iron, gr. 1. Used in functional impotency and as a general nerve tonic; 1 three times a day.

Used in functional impotency and as a general nerve tonic; 1 three times a day.

334 ZINC SULPHOCARBOLATE , gr. 110	.35	.65
---	-----	-----	-----

335 " " " gr. 2½12	.50	.90
-------------------------------	-----	-----	-----

Used as an intestinal disinfectant in typhoid fever and enteritis. Dose, 2 to 5 grs. every two or three hours. If the stomach is irritable, dissolve in a liberal supply of water.

WE WILL PREPAY DELIVERY

HYPODERMIC MEDICATION

is an important matter and an expedient which must often be resorted to in irritable stomach and where a very rapid action of the drug is imperative.

While all our granules, the drug in which is suitable, may be so used in an emergency, yet the time required for their solution and the fact that, owing to the starch used as a dusting powder in their manufacture, they do not make a perfectly clear solution makes it desirable to have some of the more commonly needed remedies strictly in hypodermic form.

Our tablets are made from the best material we can get; then carefully triturated and accurately divided so that each contains the proper amount of drug. They are readily soluble,—in fact will be found to possess all the desirable characteristics of this form of medication.

	Tube of 25	100
335 APOMORPHINE MURIATE, gr. 1-10.....	\$.25	\$.80
336 ATROPINE SULPHATE, gr. 1-50.....	.13	.40
337 COCAINE HYDROCHLORATE, gr. 1-20.....	.13	.40
338 DIGITALIN, gr. 1-67.....	.25	.80
339 ERGOTIN, gr. 1-10.....	.13	.40
340 GLONOIN, gr. 1-100.....	.13	.40
341 GLONOIN AND STRYCHNINE.....	.15	.50
Glonoïn, gr. 1-100; strychnine sulphate, gr. 1-50.		
342 HYOSCYAMINE SULPHATE, gr. 1-100.....	.25	.80
343 MORPHINE SULPHATE, gr. ¼.....	.13	.40
344 MORPHINE AND ATROPINE, No. 1.....	.15	.40
Morphine sulphate, gr. ⅙; atropine sulphate, gr. 1-200.		
345 MORPHINE AND ATROPINE, No. 2.....	.15	.50
Morphine sulphate, gr. ¼; atropine sulphate, gr. 1-150.		
346 NITROGLYCERIN,—(see under glonoïn above.)		
347 NUCLEIN SOLUTION, (AULDE.) m. 1.....	.50	1.75
348 STRYCHNINE NITRATE, gr. 1-50.....	.13	.40
349 " SULPHATE, gr. 1-50.....	.13	.40

YOU SEND CASH WITH ORDER

Given reliable medicaments, the success of hypodermic medication depends largely upon the perfectness of the syringe used.

The one here shown



is desirable in every respect.

It is carefully and well made and, with proper care, will last a long time and be in order when you want it.

—NET PRICE,—

Syringe, bottles empty,.....	\$2.00
" " filled (average selection)...	2.50
Extra needles, each.....	.25

WE WILL PREPAY DELIVERY

OUR SPECIALTIES.

The few items classed under this heading are simply those that require a more extended explanation and comment than could well be given in the general list.

	100	500	1000
BORACIC ACID, C. P., gr. 2.....	\$.10	\$.35	\$.65

This tablet is prepared with great care from chemically pure boracic acid for use in making "eye water" etc. Ten grains to the ounce makes a full 2 per cent solution.

DOLOR-PYRINE, (tablets).....	.40	1.85	3.50
-------------------------------------	------------	-------------	-------------

(Formula suggested by Dr. Sharpe, Pleasanton Texas.)

Caffeine citrate, gr. $\frac{1}{2}$; sodium bi-carb., gr. 1; acetanilid, gr. $3\frac{1}{2}$.

This combination is indicated in pain and fever, and may be used with confidence; 1 or 2 tablets every one or two hours according to circumstances.

ELIXIR IRON, QUININE AND STRYCHNINE, (Alkaloidal)

Half gallon	Gallon
\$3.50	\$6.50

Each teaspoonful contains neutral quinine, gr. 1 4-5; iron proto carbonate, gr. 2; neutral strychnine, gr. 1-60.

This is a choice combination of these well known tonics, upon an alkaloidal basis, and is carefully prepared for fine dispensing. In taste it is a clean, pure bitter and in indication adopted to most atonic conditions.

	Box of 50.	Box of 200.
LITHIA WATER TABLETS.....	30c.	\$1.00

(Sample of 10 for 8c.)

Lithium is a therapeutic agent of great value, but the commercial waters are inconvenient, expensive and unreliable. When your patient needs lithium, if you will use our EFFERVESCENT LITHIA TABLETS you will be pleased in every way.

One tablet dissolved in eight ounces of water liberates two grains of citrate of lithium and makes a delightful, refreshing, carbonated beverage aside from its medicinal feature. This will be found far superior to and double the strength of any of the bottled preparations.

	Box of 50.	Box of 100.
MENTHOL COMPOUND, (BUCKLEY)	60c.	\$1.00

(Sample of 10 for 15c.)

This is a non-toxic, antiseptic tablet readily taking the place, for both internal and external use, of the high priced solutions on the market. It contains benzo-boracic acid, the silico-fluoride, sulpho-carbolate and bi-sulphate of sodium with thymol, menthol, camphor and hydrastine.

To make a standard solution for mouth wash, gargle, etc., dissolve one tablet in half a pint of water or dilute alcohol. For septic conditions and old sores, use two to four.

YOU SEND CASH WITH ORDER

SEIDLITZ SALT

(Granular effervescent magnesium sulphate)

This preparation is indispensable to the best application of the methods which should govern alkaloidal medication. Minor ailments often require nothing more, as its use, clearing the alimentary canal of indigestible, fermenting residues, freshens and purifies the blood, the source of all health; in fact we know of no ailment, be it small or great, the successful treatment of which is not rendered surer and easier thereby.

Seidlitz Salt acts best when given upon an empty stomach or in the presence of acid fermentation. The usual dose for ant-acid and laxative effect, is one heaping teaspoonful in $\frac{1}{2}$ to $\frac{2}{3}$ of a glass of water, cold or hot; for cathartic effect, two to four times as much. This, like all salines, is more active when given largely diluted.

The general usefulness of this preparation cannot be overestimated. It is pleasant, promptly effervescent, perfectly soluble, and more efficient than any with which we are familiar, for by a happy combination of its well known ingredients we are able to introduce an extra large amount of the active agent, sulphate of magnesium.

Price List and Delivery.

(These prices are made to govern our relations with direct buyers only.)

At Our Expense.At Purchaser's Expense.

1 lb in tin, \$1.00; per doz., \$10.50.....	80c.; per doz. \$9.00
$\frac{3}{4}$ " " " .35; " " 3.75.....	30c.; " " 3.00
1 lb in glass, 1.15; " " 12.00.....	85c.; " " 9.50
6 oz. bottle, .35; " " 3.75.....	30c.; " " 3.00
" "three doz. 10.00.....	three doz. 8.50

The above styles of package and arrangements for delivery have been, and we trust will continue to be popular with our customers. The weights given are net for the salt in the container. The "six ounce bottle" is size in liquid measure and holds between 3 and $3\frac{1}{2}$ ounces of the salt.

Each container bears a label in blank for physicians' use and others will be supplied on request. Special labels printed to order at reasonable prices. When purchased in bulk, an envelope of suitable shape with blanks for directions will be handy. See under "dispensing conveniences," 100 by mail 25c.

Properly protected from moisture, our Seidlitz Salt keeps perfectly; but if exposed to dampness it will gradually change with the loss of its effervescent property. This does not destroy but impairs its efficacy.

Many physicians prefer to prescribe it from a convenient drug store. To such we will say that it can readily be obtained through the wholesale trade, and we should be pleased if every physician using our goods would see that his druggist is supplied with this useful article.

SUPPOSITORIES.

	<u>Box of 12.</u>	<u>3 Boxes.</u>
DEPLETING AND ANTISEPTIC,.....	35c.	\$1.00
(ABBOTT'S.)		

Each suppository represents about thirty grains of boracic acid and thirty minims of glycerin, in stable compound, and is freely soluble in the heat and moisture of the vagina.

The usefulness of this suppository to deplete the pelvic viscera will be apparent to all. It is rapidly superceding the tampon of boroglyceride which has so long held first place in the treatment of pelvic engorgements. It is easier to use and far more efficient.

Used in connection with Buckley's Uterine Tonic and a properly

WE WILL PREPAY DELIVERY

selected laxative it leaves little more to be done in the many cases of female weakness that present themselves. If, however, the vaginal discharge be profuse, an astringent may be needed and, after much experience, we offer the following combination as being more desirable than any with which we are familiar.

	Box of 50	3 Boxes	Per case
ASTRINGENT AND ANTISEPTIC	75c.	\$2.00	\$1.00
(ABBOTT'S.)			

Aqueous ext. white pond lily with
Acid boracic and sodium sulphocarbonate.

This tablet should be used on retiring preceded by a cleansing douche, and may be repeated every night or less often as indicated. It is often advisable to use one in alternation with the "depleting suppository" mentioned above. The douche used in connection with either of these suppositories should be small, just enough to wash out any debris; castile soap and water preferred.

For Your Convenience in dispensing we have devised a special package, a wood box containing six tablets, packed ten in a case (60 tablets), bearing no label whatever. Sold only in full cases.

UTERINE REGULATOR35	1.50	2.75
Sample phial, 10c.			

(Also in boxes at \$1.00 like the Uterine Tonic.)

Helonin, gr. 1-6; caulophyllin, gr. 1-6; macrotin, gr. 1-6; anemonin, gr. 1-134.

Not as well known or as widely used as Buckley's Uterine Tonic, but indicated in functional pelvic derangements accompanied by pain and melancholia.

UTERINE TONIC, (BUCKLEY)35	1.50	2.75
(Introduced by the especial favor of Dr. Buckley.)			

Helonin, gr. 1-6; caulophyllin, gr. 1-6; macrotin, gr. 1-6; hyoscyamine amorph., gr. 1-250.

These granules are put up 25 in a vial labeled ready for dispensing.

This combination is useful, in fact almost specific, in all congestive, pathological conditions of the pelvic viscera. It is of daily service and can be relied upon as a valient "comforter"; 1 every two to four hours according to necessity. Circular by Dr. Buckley with reprints of cases and special directions with each order or on application.

For Your Convenience in dispensing we put these granules up, 25 in a wood bottle with blank label, 12 bottles in a box at \$1.00 postpaid.

WIDE AWAKE LIVER PILLS12	.50	.90
-------------------------------------	-----	-----	-----

Alorn, gr. 1-12; podophyllin, gr. 1-12; croton oil gtt. 1-50; powd. ext. belladonna, gr. 1-100; strychn. sulphate, gr. 1-500; oleoresin capsicum, gr. 1-250.

A prompt, reliable cathartic; 1 to 3 at night; 1 or 2 with meals. Used in divided doses this pill is a sure relief in bad cases of chronic constipation. After it has been used for some time Waugh's Laxative should be substituted to effect a cure.

NUCLEIN SOLUTION, (AULDE)	1/8 oz., 75c.; 1/2 oz. \$2.60; 1 oz. \$5.00
----------------------------------	---

This is the standard solution, Aulde's formula. Nuclein is one of the "defensive proteids" of the living body and is extracted from the active glands of sheep. Indication: a disorganized state of the blood. For granules see p. 12; tablets, pp. 27 & 30.

YOU SEND CASH WITH ORDER

DISPENSING CONVENIENCES.

When one supplies medicines to patients, it is important that suitable means be at hand in which to dispense neatly with the least outlay of time and money. The following articles will be found to meet the above indications. Owing to the expense of mailing we quote prices with and without delivery, take your choice.

BOTTLES, GLASS

BOTTLES, GLASS		<u>Prepaid.</u>
One gross, ¼ or ½ dram, with corks.....	\$1.00.....	\$1.15
Half " " " " " "	.55.....	.65
Extra corks for same, per dozen.....		.05
One gross, 1 or 2 dram, with corks.....	1.25.....	1.50
Half " " " " " "	.75.....	.85
Extra corks for same, per dozen.....		.07

BOTTLES, WOOD

[illegible]

BOXES. PAPER

Round pill, 3 sizes nested, 29, 30 & 31, per gross,	1.10.....	1.35
" " " " half "	.65.....	.75
Slide powder, 3 sizes nested, 47, 48 & 49, per gro.	1.25.....	1.50
" " " " half "	.60.....	.80
Per gross or half gross, either size, same price.		
Prescription boxes, folding, 2 x 1 x ½, (per 100)	.25.....	.35

BOXES, WOOD

One gross, (holding about thirty 5 gr. tablets)....	.55.....	.75
Half " " " "	.30.....	.40

Prices on other sizes on request. We are prepared to furnish the above items in any quantity and on large lots we will make special prices.

CAPSULES, Empty Gelatin,

	100	1000
CAPSULES, Empty Gelatin.....	12¢	\$1.00

Any standard size in the market, rectal or oral, same price. Rectal, 1 to 3; oral, 60 to 5. Order by number. No. 4 oral, holds from 5 to 6 standard granules. We recommend them for the extemporaneous preparation of combinations and for convenience in dispensing.

ENVELOPES

ENVELOPES		100	500	1000
White dispensing, plain, 2 1/2 x 1 1/410	.45	.80
"	printed "		1.75
Manilla "	plain "	.15	.65	1.15
"	printed "		2.10
Seidlitz Salt, suitably printed in blank, 3 x 5 1/225	1.20	2.35

There is nothing so convenient for office dispensing as the little envelope—the granules in a vial, the vial in an envelope with directions written thereon. The small manilla envelope is very heavy and opens at the end. It is intended to dispense in without a bottle.

WE WILL PREPAY DELIVERY

The seidlitz salt envelope is intended to use when it is desired to dispense a small quantity for immediate use and is printed in blank with that end in view.

We can supply any envelope, for any purpose, of any style or quality in any quantity and shall be glad to quote prices--printed or plain.

Samples of any of our "dispensing conveniences" sent for examination of would-be-purchaser on request.

LABELS, GUMMED

Direction labels suitable for the above, $1\frac{1}{4} \times 5\frac{1}{8}$ in. 500
\$.25

These labels are printed in blank "Take.....granules everyhours. Dr....."

Plain stickers..... .25

This "sticker" is the common red-border marker, size $\frac{1}{2} \times \frac{3}{4}$ inches and is very handy for office use.

We are often asked for larger labels and have made arrangements to supply our customers with some of the more useful styles, see cuts below. Any desired printing will be done on these labels, in lots of 1000 only, at the prices quoted.



No. 1.	$1\frac{1}{8}$, 60 cts;	$1\frac{3}{8}$, \$1.00;
	$1\frac{1}{4}$, \$1.10;	$2\frac{3}{8}$, \$1.50.
No. 2.	$1\frac{1}{8}$, 75 cts;	$1\frac{3}{8}$, \$1.10;
	$1\frac{1}{4}$, \$1.25;	$2\frac{3}{8}$, \$1.75.
No. 3.	$1\frac{1}{8}$, \$1.25;	$1\frac{3}{8}$, \$1.50;
	$1\frac{1}{4}$, \$2.25;	$2\frac{3}{8}$, \$3.00.


This is first-class work and all possible pains will be taken with any orders you may be pleased to place. If the styles shown do not suit you, say what you want, make a drawing and we will see what we can do for you. Send cash with order, we pay the postage and will send proof if you wish. It takes two weeks, at least, to get out an order for gummed labels so don't wait till you want them before ordering.

YOU SEND CASH WITH ORDER

OUR MEDICINE CASES

Were designed by Dr. Abbott, and will be found indispensable to the physician who uses granules, especially if he supplies fully in his daily rounds. They are first class in every particular.


A small compact pocket case should always be, with the fever thermometer and the hypodermic syringe, the constant companion of the doctor. This should contain the principal emergency remedies. For this purpose you can select or suits you best from cases Nos. 1, 1½, 2 and 3. Hand cases Nos. 4, 5 and 6 will delight the heart of the granule doctor, as being at once compact and commodious.



CASE No. 1, has been extensively used as an advertisement and is deservedly popular. It carries 9 half dram vials holding 100 granules each, and just fits the upper vest pocket. We call it "Our Advertiser" and sell it empty for 50 cents, or filled with our selection (see page 41) for \$1.50


CASE No. 1½ is on the same order as the above, three more bottles of the same capacity.

This case cannot be too highly recommended as a pocket companion; it is neither too large nor too small. Price empty, 75c.; filled with our selection (see page 41) \$2.00.



CASE No. 2, has 24 half dram vials set in two rows of 12 each, bottom to bottom, and is supplied empty at \$1.75 and filled with our selection of granules, 100 each, for \$4.00 (see page 41).

This makes a compact case for the hip or breast pocket, 6½ in. long by 4¼ in. wide, so thin that its presence is scarcely noticed.




NOTE:—For full particulars about filled cases, "your selection" and "our selection," see page 41 above referred to.

WE WILL PREPAY DELIVERY




CASE No. 3, is a handy affair, and is so arranged that it can, with excellent satisfaction, be put to daily service. Fitted up as shown in the cut it contains 20 phials holding 100 and six holding 300 granules each. The loops, however, admit of any arrangement of long and short phials desired. This case is 8x1 $\frac{1}{4}$ in. and is the same thickness as No. 2. Price empty \$2.25, and filled with our selection of granules (see page 41), no more long bottles than shown in cut, \$5.50. The convenience of this case will be apparent to all.



CASE No. 4, at \$5.00, empty, combines the advantages of a hand and pocket case, carrying 68 phials in two double rows of 36, 1 dr. and 32 1 $\frac{1}{2}$ dr. phials, holding respectively 200 and 300 granules each. This will meet the wants of most for a hand case, finding abundance of room in a large obstetric bag or the overcoat pocket, when other things need to be taken. It also has a pocket for cards, prescription blanks, case records, etc. Size, 10 $\frac{1}{2}$ in. long by 1 $\frac{3}{4}$ in. thick and 5 $\frac{1}{2}$ in. high. We will furnish this case filled with your selection from our list for \$22.50. The large bottles will carry tablets to the 5 gr size.

YOU SEND CASH WITH ORDER



CASE No. 5, is the same as No 4, with one double row of 44 $\frac{1}{2}$ dr. phials added, making, in all 110. This increases the thickness $\frac{1}{2}$ in. and gives a case which for an all time standby can't be beat. It is supplied at \$6.50, and filled with your selection of granules and tablets from our list for \$30.00. This case gives an opportunity for a large variety of granules, pills and tablets (as well as being suitable for liquids if such are desired), in sufficient quantity to meet the demands of an extensive general practice and is deservedly popular.



CASE No. 6. This case has many admirers. It is very compact, being 9x5x1 $\frac{1}{4}$ inches, and carrying 16 phials holding 300 and 32 holding 100 granules each. This is a handsome combination pocket and hand case. It has a carrying handle and sundries pocket. Price, empty, \$4.00: filled, your selection, \$12.50.

WE WILL PREPAY DELIVERY

OUR IDEAL of a medicine case for practical utility is a small compact container for drugs inside a satchel case sufficiently commodious to accommodate dressings, instruments and other sundries. Here are two specially designed for this purpose



SACHEL CASE, No. 1. This is the one used by Dr. Abbott. It is an elegant affair, in the 'log cabin' style, with no waste room. It contains 6 2-oz. bottles, pockets for instruments, etc., so arranged as to give the most practical results..

PRICE LIST.

15 in. long, 6 high and 5 1/4 wide.....	\$8.50
16 " " 6 " 5 3/4 "	8.75

An additional inch will be added to the depth of either for \$1.00

This bag will carry any of our cases, but if much instrument room is needed, we advise having the extra inch of depth added. This is a satchel one will never regret buying.



SACHEL CASE, NO. 2. This little bag has a familiar look. It is a good one for obstetric blanket, forceps and other instruments, giving room for our granule cases 1, 2 or 3, besides carrying four 2-oz. bottles for anesthetics, etc. We have it 12, 14 and 16 inches long, at \$3.50, \$4.00 and \$4.50, respectively.

YOU SEND CASH WITH ORDER

ABOUT FILLING CASES.

In connection with cases 1, 2 and 3, we have quoted prices filled our selection. We tried the other way and were grossly imposed upon. We aim to make an average, generous selection from those most used. These usually come out of the following list:

- | | |
|-----------------------------------|----------------------------------|
| 1 Aconitine, gr. 1-134 | 16 Camphor mono-brom., gr. 1-6 |
| 2 Digitalin, gr. 1-67 | 17 Colchicine, gr. 1-134 |
| 3 Hyoscyamine, gr. 1-250 | 18 Emetine, gr. 1-67 |
| 4 Codeine, gr. 1-67 | 19 Ergotin, gr. 1-6 |
| 5 Podophyllin, gr. 1-6 | 20 Lithium benzoate, gr. 1-6 |
| 6 Strych. arseniate, gr. 1-134 | 21 Morphine sulph., gr. 1-12 |
| 7 Copper arsenite, gr. 1-1000 | 22 Quassin, gr. 1-67 |
| 8 Quinine arseniate, gr. 1-67 | 23 Veratrine, gr. 1-134 |
| 9 Glonoin, (Nit.-Glyc.) gr. 1-250 | 24 Zinc sulphocarbolate, gr. 1-6 |
| 10 Aloin, gr. 1-12 | 25 Anticonstipation, Waugh's |
| 11 Acid arsenious, gr. 1-67 | 26 Anodyne for Infants " |
| 12 Atropine sulphate, gr. 1-500 | 27 Caffeine, gr. 1-67 |
| 13 Brucine, gr. 1-134 | 28 Cicutine, gr. 1-134 |
| 14 Calcium sulphide, gr. 1-6 | 29 Mercury protoiodide, gr. 1-6 |
| 15 Calomel, gr. 1-6 | 30 Iron arseniate, gr. 1-67 |

We are perfectly willing you should select from the above list (or that you should substitute any others not listed higher) at the prices quoted for filled case. But if you want higher priced granules you must, in each instance, add to the price quoted for the filled case the difference between 10c. and the 1000 price per 100 of the one selected.

EXAMPLE.

Suppose you want to fill a 100 bottle with "dosimetric trinity," price \$2.25 per 1000, you will add 12c. Divide \$2.25, the 1000 price, by 10 which gives the 1000 price per 100, 22c., and subtract 10; so in each case.

If no selection is made we put the first nine in No. 1, the first twenty-four in No. 2, and the first twenty-six in No. 3, filling the larger bottles with Nos. 1, 2, 5, 6, 9 and 14.

Note: The foregoing prices and remarks on filled cases refer to our granule list. We advise, when tablets are preferred, that you order tablets and cases separately. When tablets are ordered in filled cases we fill the bottle regardless of the number it holds.

Our prices for filled cases are very low and are only possible in the expectation that they will be refilled many times.

WE WILL PREPAY DELIVERY

ALKALOIDAL LITERATURE.

Elements of Therapeutics and Practice (Castro).

500 pages, cloth, \$4.25.

New Practical Guide (Burggraeve).

Paper, \$1.10; Cloth, \$1.60.

Dosimetric Therapeutics (Burggraeve).

Paper, 30c; Cloth, 75c.

Guide to Alkaloidal Medication (Shaller).

Cloth, \$1.50.

Outlines of Treatment (Waugh). \$1.00.

Pamphlets (Burggraeve). Each, 25c.

Essentials of Dosimetric Pharmacy.

Diathetic Maladies.

Fever and Its Dosimetric Treatment.

Diseases of Women.

Diseases of Children.

Therapeutics, Brief (Abbott). Mailed on request.

Any of the above books will be sent post paid on receipt of price. Of the limited number of works on this subject there are none to spare; they complement each other so that all are needed. We will deliver one of each, prepaid, cloth-bound edition, with the Alkaloidal Clinic one year, on receipt of \$10.

General Medical Books.

Say what you want in this line, what style of binding and by whom published, and we'll quote you a bottom price.

The Alkaloidal Clinic.

A Monthly Journal Devoted to Accuracy in Therapeutics,
with Practical Suggestions Relating to the
Clinical Application of the same.

W. C. ABBOTT, M. D., - **Editor and Publisher,**

SUBSCRIPTION PRICE—United States and Canada, \$1.00
per year, in advance. Single copies, 10 cents.

Reviewing the journal, the Medical World for March.
says:

"We welcome this journal to our exchange table and to the sisterhood of medical journals. The object is to give definite information in regard to the progress of scientific knowledge of the treatment of diseases by active principles. The talented editor is already and favorably known to all our readers. His work in the initial number of CLINIC, as in all his writings, is very good indeed. Dr. Abbott might appropriately be termed the American champion of dosimetric medication. His journal, being devoted to a distinct advance in medical science, is well worth the subscription price."

We will place your subscription or you may address,


THE ALKALOIDAL CLINIC.

Station X, Chicago.

YOU SEND CASH WITH ORDER

A FEW HANDY TOOLS

The satchel case and office of the physician should be supplied with good tools, and this little syringe is one of them. It is hard rubber, with a




each
35c

per doz.
\$3.50

soft rubber safety tip, and holds about two teaspoonfuls. It is suitable for ear, nose and urethra. Your patients will readily pay 50c for them.

Another, very useful and much cheaper, is here shown:




each 15c
per doz., \$1.50

This is a metal syringe, just the thing with which to give a glycerin injection to the baby, wash out a sore ear and use in the thousand-and-one ways that will suggest themselves when you have the syringe at hand. Get 25c for them.

FEVER THERMOMETERS

Our space is so limited that we are unable to show cuts of these instruments except greatly reduced. Suffice it to say, they are exactly as hereinafter described. Our customers need not hesitate to order from these diminutive cuts and word pictures.

1. **Half-minute Thermometer**, single bulb, clear reading, large mercury column, does not




magnify; length, four inches. Certificate of registration with each.

(a) In gilt and enamel case, with safety chain and pin (see cut)...\$1.50

(b) The same thermometer in an ordinary hard rubber case.... 1.25

Either of the above with magnifying index for 15c additional.




2. **Half-minute Thermometer**, twin bulb, clear reading, large mercury column, does not magnify; length, four inches. Certificate of registration with each. (See cut.)

(a) In gilt and enamel case, with safety chain and pin.....\$1.50

(b) The same thermometer in an ordinary hard rubber case.... 1.25

Either of the above with magnifying index for 15c additional.



3. **This is a new Thermometer**, with bulb in crutch form as shown. It was devised to fit under the tongue, and will register

with the
mouth
more or

less open. It is particularly handy for use with children.

Only one style, in nice morocco case.....\$2.00

Our thermometers are examined just before shipping, and will leave us in perfect order, and carefully packed to insure safe delivery, but we cannot be responsible for goods broken in transit. The prices above given are very close for these goods. If you want a cheaper thermometer, we can supply you a very good one for 75c, but our guaranteed thermometers are better worth the money.

WE WILL PREPAY DELIVERY

There is no more scientifically useful article for the doctor's office than a practical elastic bandage; this you have in OUR IDEAL. It is a woven bandage, depending for its elasticity upon fine threads of gum-rubber running through it. We do not show cut, either loose or stretched, simply because the work is so fine that it would look like a piece of smooth cloth in an illustration. We'll do better, we'll send you a piece of the material to look at if you ask for it.

Our Dr. Abbott uses these bandages and supporters by the dozen. They are indicated in every condition and under all circumstances where you want to get a gentle, even, but constant pressure. The "Ideal" goods are hand made throughout, and are superior to all others from the fact that the rubber strands are so fine and so near together that they give an absolutely even pressure, a result not heretofore attained. They are easily adjusted, always retain their position, and are far more durable than any other style made.

2 in. x 3 yds., stretched. \$ 65	2 in. x 5 yds., stretched. \$ 80
2½ in. x 3 yds., " 80	2½ in. x 5 yds., " 1 00
3 in. x 3 yds., " 1 00	3 in. x 5 yds., " 1 25

When you order, be sure you select a bandage long enough; it is not usual to apply them fully stretched and a few extra turns will do no harm. Any width or length made to order.

8 inches wide, any length desired.....	\$2 75 each.
XI " " " " " "	3 50 "

Every pregnant woman and every woman with a pendulous abdomen should wear one of these supporters. Use them, Doctor, and your lady patients will rise up and call you blessed.

In ordering, give skin measure in inches around largest part, and width desired. The 8 inch supporter is suitable for most cases.

Adult's, 13 inches wide, \$4.50 each; Children's, 5 inches wide, \$2.75 each;
Infant's, 3 inches wide, \$1.35 each.

This truss is an "abdominal supporter" with a pad inserted at the navel, making a perfect support for umbilical hernia. Properly applied and continuously worn it will cure rupture. In ordering, read directions under "supporters."

Ideal Supporters and Trusses are of the same (but heavier) material as "Ideal Elastic Bandages," therefore the same explanation applies.

None of these goods can be too highly commended, and we are confident we do a good thing for our friends by introducing them through our list.

The very best; never gets out of place; worn with comfort day and night. A scrotal supporter is an absolute necessity to many men.


Small, Medium and Large.

Cotton.....	\$0 65
Linen.....	75
Silk.....	1 00

These supporters are all elastic; belt and understraps fine webbing; pouch knitted, elastic stitch. The silk supporter is much the cheapest in the end. We advise that you keep an assortment of Ideal Bandages and Ideal Scrotal Supporters at your office for immediate use. You never will know what a help it is to have these things right at hand till you try it yourself.

YOU SEND CASH WITH ORDER

IDEAL ELASTIC STOCKINGS.



Give circumference opposite letters, as indicated on cut. We allow for compression; e. g. M 36; L, 38; etc. Measure twice!!

Best
Silk
or
Best
Thread

FOR A GARTER STOCKING.—
Circumference at A, B, C,
D, E. Length from sole
of foot to E.....

S. \$2.50

T. 2.00

FOR A KNEE STOCKING.—
Circumference at A, B
C, D, E, F, G. Length
from sole of foot to F....

S. 5.00

T. 4.00

FOR A THIGH STOCKING.—
Circumference at A, C
D, E, F, G, H, I. Length
from sole of foot to F and
from F to I.....

S. 7.50

T. 6.00

FOR A GARTER LEGGING.—
Circumference at C, D, E,
Length C to E.....

S. 2.00

T. 1.50

FOR A KNEE LEGGING.—Circumference at C, D, E, F,
G. Length from C to F.

S. 4.00

T. 3.50

FOR A THIGH LEGGING.—
Circumference at C, D, E,
F, G, H, I. Length from
C to F, and from F to I.

S. 6.00

T. 5.50

FOR AN ANKLET.—Circumference at A, B, C. Length
from sole of foot to C....

S. 2.00

T. 1.50

FOR A KNEE CAP.—Circumference at E, F, G.....

S. 2.00

T. 1.50

FOR A THIGH KNEE CAP.—
Circumference at E, F, G,
H, I. Length from F to I.

S. 4.50

T. 3.50

FOR A THIGH PIECE.—Circumference at G, H, I...
Length from G to I.....

S. 2.50

T. 2.00

FOR A WRISTLET.—Circumference at N, O, P.....
Length from N to P.....

S. 1.00

T. .75

FOR A SHOULDER CAP.—
Circumference at R, S, T.

S. 5.00

T. 4.00

HOW TO APPLY.

Turn the stocking (don't roll it) inside out, down to the foot. Draw the foot on well up over the heel; then take hold of the top of the stocking and bring it up over the leg as far as it will easily go. Now turn the top down and, with the thumbs inside and the fingers outside on either side, coax the stocking gradually up into position. It should always be worn over a thin stocking. Elastic stockings seem very tight at first, to those unaccustomed to wearing them, but with a little patience they will soon feel all right.

WE WILL PREPAY DELIVERY

The Doctor's Microscope.



Every physician needs a microscope and this one is both good and cheap. It has two achromatic objectives, $\frac{1}{2}$ and 1-5 inch, and one eye-piece. In power it ranges from 25 to 440 diameters, sufficient for all ordinary work. Complete in nice walnut case, with a supply of cover glasses and slides, net cash with order, delivery by express at purchaser's expense..... \$20.00

The same with adjustable stage plate, and micrometer screw which forms a limited but serviceable fine adjustment..... \$25.00

STOKES MICROSCOPICAL PRAXIS.—How to use the microscope to best advantage. Post-paid..... 1.50

GLASS SLIDES, 3 X 1, finished edges, per doz., post-paid..... .10

COVER GLASSES, $\frac{3}{4}$ in. in diameter, per doz. post-paid..... .15

All supplies furnished. Send for complete list.

THE ABBOTT ALKALOIDAL CO.